



Military Stock List

Part#	Description	Qty / M
	4-40 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
AN500-2-3		
AN500-2-3	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416D	5.000
AN500-4-12		
AN500-4-12	4-40 x 3/4" Saw Slotted Fillister M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	7.000
AN500-8-14		
AN500-8-14	8-32 x 7/8" Saw Slotted Fillister MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	3.000
AN500AD6-6		
AN500AD6-6	6-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
AN500AD8-16		
AN500AD8-16	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	9.000
AN500AD8-18		
AN500AD8-18	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
AN500AD8-5		
AN500AD8-5	8-32 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
AN500B4-6		
AN500B4-6	4-40 x 3/8" Saw Slotted Fillister MS (2A) Brass	2.000
AN500B4-8		
AN500B4-8	4-40 x 1/2" Saw Slotted Fillister MS (2A) Brass	2.000
AN500D2-7		
AN500D2-7	2-56 x 7/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
AN500D4-3		
AN500D4-3	4-40 x 3/16" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	7.000
AN500D6-12		
AN500D6-12	6-32 x 3/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
AN500D6-16		

Part#	Description	Qty / M
AN500D6-16	6-32 x 1" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
AN500D6-4		
AN500D6-4	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05	3.000
AN500D6-4	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
AN500D8-14		
AN500D8-14	8-32 x 7/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
AN500D8-4		
AN500D8-4	8-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
AN500D8-6		
AN500D8-6	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
AN500D8-6	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
AN501D10-8		
AN501D10-8	10-32 x 1/2" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
AN505C2-6		
AN505C2-6	2-56 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI	7.000
AN505C2-8		
AN505C2-8	2-56 x 1/2" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI	4.000
AN505C3R6		
AN505C3R6	3-48 x 3/8" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	14.000
AN507-440R6		
AN507-440R6	4-40 x 3/8" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	3.000
AN507C632-10		
AN507C632-10	6-32 x 5/8" Saw Slotted Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-01	9.000
AN510C1R5		
AN510C1R5	1-72 x 0.3120" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
AN515-2-10		
AN515-2-10	2-56 x 5/8" Slotted Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	6.000
AN520-1-7		
AN520-1-7	1-72 x 7/16" Slotted Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	5.000

Part#	Description	Qty / M
AN526-832R10		
AN526-832R10	8-32 x 5/8" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	3.000
AN526-832R20		
AN526-832R20	8-32 x 1-1/4" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	3.000
AN526-832R6		
AN526-832R6	8-32 x 3/8" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	7.000
AN526-832R8		
AN526-832R8	8-32 x 1/2" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	5.000
AN526-832R8	8-32 x 1/2" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E	3.000
AN526C832R6		
AN526C832R6	8-32 x 3/8" Phillips Truss, Full Contour w/ Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
AN526C832R9		
AN526C832R9	8-32 x 9/16" Phillips Truss, Full Contour w/ Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
AN530-4R4		
AN530-4R4	4-24 x 1/4" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E	6.000
AN530-8R6		
AN530-8R6	8-18 x 3/8" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E	2.000
AN530-8R8		
AN530-8R8	8-18 x 1/2" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416C	5.000
AN531-10R8		
AN531-10R8	10-16 x 1/2" Phillips 80/82° Flat Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E	7.000
MS000F0012SFLT18		
MS000F0012SFLT18- -DF	0-80 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant	2.000
MS002C0010SFLT18		
MS002C0010SFLT18- -DF	2-56 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant	13.000
MS002C0010SFLT18- -DF	2-56 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant	4.000
MS002C0016SFLT18		
MS002C0016SFLT18- -DF	2-56 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant	4.000

Part#	Description	Qty / M
MS008C0020SFLT1E		
MS008C0020SFLT18-DF	8-32 x 5/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant	5.000
MS010F0024PFLH1E		
MS010F0024PFLH18-DF	10-32 x 3/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant	4.000
MS21090-0414		
MS21090-0414	4-40 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D Locking Element - Nylon Patch Type per Mil-F-18240	1.000
MS21090-0841		
MS21090-0841	8-32 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D Locking Element - Nylon Patch Type per Mil-F-18240	1.000
MS21093-344		
MS21093-344	10-32 x 7/16" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type (Misc.)	3.000
MS21093-344	10-32 x 7/16" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type	3.000
MS21093-345		
MS21093-345	10-32 x 1/2" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type	2.000
MS21207-4F6		
MS21207-4F6	4-24 x 3/8" Phillips 99/101° Flat Type BF Steel 1022 Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416D	4.000
MS21207-6-8		
MS21207-6-8	6-20 x 1/2" Phillips 99/101° Flat Type B Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416D	4.000
MS21207C10-8		
MS21207C10-8	10-16 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4	2.000
MS21207C6-6		
MS21207C6-6	6-20 x 3/8" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4	3.000
MS21207C8-8		
MS21207C8-8	8-18 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4	2.000
MS21318-1		
MS21318-1	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C	9.000
MS21318-1	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	5.000
MS21318-1	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	4.000
MS21318-13		

Part#	Description	Qty / M
MS21318-13	2-8 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	20.000
MS21318-14		
MS21318-14	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	6.000
MS21318-14	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	12.000
MS21318-14	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C	26.000
MS21318-15		
MS21318-15	2-8 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	9.000
MS21318-19		
MS21318-19	4-7 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B	6.000
MS21318-27		
MS21318-27	6-7 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	4.000
MS21318-7		
MS21318-7	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	105.000
MS21318-7	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	109.000
MS24621-2		
MS24621-2	2-32 x 3/16" Phillips Pan Type B Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	5.000
MS24621-7		
MS24621-7	4-24 x 3/16" Phillips Pan Type B Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C	3.000
MS24630-1		
MS24630-1	2-56 x 1/8" Phillips Pan Type F Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700F Method 1, Type 2 Class 4	3.000
MS24630-21		
MS24630-21	6-32 x 1/4" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2 Nitric 2	6.000
MS24630-48		
MS24630-48	10-24 x 3/4" Phillips Pan Type F Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4	1.000
MS24667-21		
MS24667-21	10-24 x 5/8" Socket Flat Head Cap Screw (w/head marking) MS 3A A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759/1; HRc 39-45; Ultimate Tensile 180ksi-220ksi Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C	4.000
MS24667-5L		

Part#	Description	Qty / M
MS24667-5L	4-40 x 3/4" Socket Flat Head Cap Screw MS 3A A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759/1; HRc 39-45; Ultimate Tensile 180ksi-220ksi Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C Patch MIL-F-18240	2.000
MS24693-11B		
MS24693-11B	4-40 x 1-1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)	4.000
MS24693-16B		
MS24693-16B	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	17.000
MS24693-17B		
MS24693-17B	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	5.000
MS24693-17B	2-56 x 5/32" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	42.000
MS24693-1B		
MS24693-1B	4-40 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	7.000
MS24693-23B		
MS24693-23B	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	3.000
MS24693-25B		
MS24693-25B	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	30.000
MS24693-25B	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	17.000
MS24693-25B	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	20.000
MS24693-25B	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	26.000
MS24693-268B		
MS24693-268B	10-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	5.000
MS24693-271B		
MS24693-271B	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	2.000
MS24693-273B		
MS24693-273B	10-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	8.000
MS24693-273B	10-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	1.000
MS24693-274B		
MS24693-274B	10-32 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	1.000
MS24693-276B		

Part#	Description	Qty / M
MS24693-276B	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	31.000
MS24693-278B		
MS24693-278B	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	4.000
MS24693-3B		
MS24693-3B	4-40 x 0.3120" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	4.000
MS24693-46B		
MS24693-46B	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	20.000
MS24693-46B	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	10.000
MS24693-46B	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	4.000
MS24693-46B	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	10.000
MS24693-47B		
MS24693-47B	8-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	3.000
MS24693-49B		
MS24693-49B	8-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	4.000
MS24693-4B		
MS24693-4B	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	22.000
MS24693-50B		
MS24693-50B	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	5.000
MS24693-50B	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	5.000
MS24693-51B		
MS24693-51B	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	5.000
MS24693-52B		
MS24693-52B	8-32 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	1.000
MS24693-B14		
MS24693-B14	2-56 x 1-1/2" Phillips 99/101° Flat MS (2A) Brass	25.000
MS24693-B4		
MS24693-B4	4-40 x 3/8" Phillips 99/101° Flat MS (2A) Brass Plain	1.000
MS24693-B5		

Part#	Description	Qty / M
MS24693-B5	4-40 x 7/16" Phillips 99/101° Flat MS (2A) Brass Plain	3.000
MS24693-C1		
MS24693-C1	4-40 x 0.1870" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	100.000
MS24693-C12		
MS24693-C12	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	9.000
MS24693-C16		
MS24693-C16	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C16	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS24693-C17		
MS24693-C17	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	153.000
MS24693-C2		
MS24693-C2	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS24693-C2	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	445.000
MS24693-C202		
MS24693-C202	4-48 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS24693-C206		
MS24693-C206	4-48 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS24693-C217		
MS24693-C217	0-80 x 3/32" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	2.000
MS24693-C218		
MS24693-C218	0-80 x 1/8" Phillips 99/101° Flat MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS24693-C219		
MS24693-C219	0-80 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
MS24693-C226		
MS24693-C226	6-40 x 3/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C23		
MS24693-C23	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	33.000
MS24693-C23	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	42.000

Part#	Description	Qty / M
MS24693-C23	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C231		
MS24693-C231	6-40 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	6.000
MS24693-C232		
MS24693-C232	6-40 x 1" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	7.000
MS24693-C234		
MS24693-C234	6-40 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C246		
MS24693-C246	8-36 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C249		
MS24693-C249	8-36 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS24693-C252		
MS24693-C252	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5.000
MS24693-C26		
MS24693-C26	6-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	9.000
MS24693-C268		
MS24693-C268	10-32 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C269		
MS24693-C269	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	13.000
MS24693-C269	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS24693-C269	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
MS24693-C27		
MS24693-C27	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS24693-C27	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C27	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	30.000
MS24693-C270		
MS24693-C270	10-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05**	76.000
MS24693-C271		

Part#	Description	Qty / M
MS24693-C271	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C271	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS24693C-273		
MS24693C-273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS24693-C273		
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F	2.000
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
MS24693-C274		
MS24693-C274	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C274	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C274	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C274	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C275		
MS24693-C275	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS24693-C275	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS24693-C275	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS24693-C275	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	6.000
MS24693-C276		
MS24693-C276	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
MS24693-C276	10-32 x 1" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS24693-C277		
MS24693-C277	10-32 x 1-1/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C277	10-32 x 1-1/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS24693-C28		

Part#	Description	Qty / M
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant AMS2700 Method 1 Type 8 Class 4	3.000
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C280		
MS24693-C280	10-32 x 1-1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS24693-C284		
MS24693-C284	10-32 x 2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS24693-C3		
MS24693-C3	4-40 x 0.3120" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS24693-C31		
MS24693-C31	6-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	12.000
MS24693-C34		
MS24693-C34	6-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS24693-C36		
MS24693-C36	6-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS24693-C38		
MS24693-C38	6-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS24693-C4		
MS24693-C4	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	14.000
MS24693-C421		
MS24693-C421	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS24693-C421	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	38.000
MS24693-C421	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	14.000
MS24693-C422		
MS24693-C422	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	13.000

Part#	Description	Qty / M
MS24693-C422	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS24693-C422	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	15.000
MS24693-C423		
MS24693-C423	0-80 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700F Method 1 Type 6 Class 4	21.000
MS24693-C424		
MS24693-C424	0-80 x 7/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	48.000
MS24693-C425		
MS24693-C425	0-80 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS24693-C425	0-80 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4	7.000
MS24693-C47		
MS24693-C47	8-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	10.000
MS24693-C48		
MS24693-C48	8-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS24693-C49		
MS24693-C49	8-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C5		
MS24693-C5	4-40 x 0.4370" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	100.000
MS24693-C50		
MS24693-C50	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	53.000
MS24693-C50	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS24693-C52		
MS24693-C52	8-32 x 3/4" Phillips 99/101° Flat W/Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C52	8-32 x 3/4" Phillips 99/101° Flat W/Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C54		
MS24693-C54	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	2.000
MS24693-C54	8-32 x 1" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless Steel Passivated ASTM A967-01	21.000
MS24693-C55		
MS24693-C55	8-32 x 1-1/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000

Part#	Description	Qty / M
MS24693-C55	8-32 x 1-1/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS24693-C58		
MS24693-C58	8-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	3.000
MS24693-C60		
MS24693-C60	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6.000
MS24693-C72		
MS24693-C72	10-24 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS24693-C74		
MS24693-C74	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	11.000
MS24693-C78		
MS24693-C78	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS24693-C8		
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	6.000
MS24693-S17		
MS24693-S17	2-56 x 5/32" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000
MS24693-S25		
MS24693-S25	6-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000
MS24693-S25	6-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	7.000
MS24693-S269		
MS24693-S269	10-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS24693-S27		
MS24693-S27	6-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	21.000
MS24693-S271		
MS24693-S271	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	2.000
MS24693-S271	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS24693-S271	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	4.000
MS24693-S273		
MS24693-S273	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000

Part#	Description	Qty / M
MS24693-S273	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	19.000
MS24693-S273	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS24693-S276		
MS24693-S276	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	5.000
MS24693-S276	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS24693-S276	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S277		
MS24693-S277	10-32 x 1-1/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS24693-S278		
MS24693-S278	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S278	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	8.000
MS24693-S278	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS24693-S279		
MS24693-S279	10-32 x 1-3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	8.000
MS24693-S28		
MS24693-S28	6-32 x 1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S281		
MS24693-S281	10-32 x 1-5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	5.000
MS24693-S3		
MS24693-S3	4-40 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S3	4-40 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	20.000
MS24693-S30		
MS24693-S30	6-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	14.000
MS24693-S30	6-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	10.000
MS24693-S36		
MS24693-S36	6-32 x 1-1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S4		

Part#	Description	Qty / M
MS24693-S4	4-40 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	6.000
MS24693-S47		
MS24693-S47	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	23.000
MS24693-S47	8-32 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS24693-S47	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	16.000
MS24693-S47	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	9.000
MS24693-S47	8-32 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS24693-S48		
MS24693-S48	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS24693-S48	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	9.000
MS24693-S48	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	23.000
MS24693-S49		
MS24693-S49	8-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	6.000
MS24693-S49	8-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	26.000
MS24693-S51		
MS24693-S51	8-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS24693-S53		
MS24693-S53	8-32 x 7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	3.000
MS24693-S53	8-32 x 7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS24693-S56		
MS24693-S56	8-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	4.000
MS24693-S58		
MS24693-S58	8-32 x 1-1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS2560-5		
MS2560-5	2-56 x 5/16" Slotted Pan MS (2A) 302 HQ Stainless Steel Passivated Air Dried	4.000
MS35190-204		
MS35190-204	1-64 x 5/16" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000

Part#	Description	Qty / M
MS35190-210		
MS35190-210	2-56 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35190-215		
MS35190-215	2-56 x 1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35190-217		
MS35190-217	2-56 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35190-223		
MS35190-223	4-40 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	11.000
MS35190-223	4-40 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35190-225		
MS35190-225	4-40 x 1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35190-243		
MS35190-243	6-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35190-244		
MS35190-244	6-32 x 1-1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	20.000
MS35190-246		
MS35190-246	6-32 x 2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	13.000
MS35190-253		
MS35190-253	8-32 x 1/2" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	3.000
MS35190-256		
MS35190-256	8-32 x 7/8" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	8.000
MS35190-272		
MS35190-272	10-24 x 5/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35190-278		
MS35190-278	10-24 x 1-3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35191-269		
MS35191-269	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35191-270		

Part#	Description	Qty / M
MS35191-270	10-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35191-270	10-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35191-274		
MS35191-274	10-32 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	9.000
MS35191-274	10-32 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	9.000
MS35191-275		
MS35191-275	10-32 x 7/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	7.000
MS35191-277		
MS35191-277	10-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	1.000
MS35191-277	10-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	7.000
MS35191-278		
MS35191-278	10-32 x 1-1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	2.000
MS35206-204		
MS35206-204	2-56 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35206-204	2-56 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate SAE AMS-QQ-P-416-E Type II (Yellow Chromate) Class 3 (.0002/.0004")	8.000
MS35206-207		
MS35206-207	2-56 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	16.000
MS35206-207	2-56 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35206-212		
MS35206-212	4-40 x 0.1880" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	12.000
MS35206-213		
MS35206-213	4-40 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	8.000
MS35206-214		
MS35206-214	4-40 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	18.000
MS35206-214	4-40 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	15.000
MS35206-214	4-40 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35206-215Z		

Part#	Description	Qty / M
MS35206-215Z	4-40 x 3/8" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1	2.000
MS35206-223		
MS35206-223	4-40 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-224		
MS35206-224	6-32 x 1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-226		
MS35206-226	6-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	51.000
MS35206-228		
MS35206-228	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	8.000
MS35206-228	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	18.000
MS35206-229		
MS35206-229	6-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	8.000
MS35206-229	6-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35206-230		
MS35206-230	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	6.000
MS35206-230	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	8.000
MS35206-230Z		
MS35206-230Z	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II	3.000
MS35206-233		
MS35206-233	6-32 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-234		
MS35206-234	6-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000
MS35206-240		
MS35206-240	8-32 x 3/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35206-241		
MS35206-241	8-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	24.000
MS35206-241	8-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000

Part#	Description	Qty / M
MS35206-242		
MS35206-242	8-32 x 5/16" Phillips Pan M/S (2A) Steel Cad QQ-P-416,Type11,Class 3 (Misc)	21.000
MS35206-242	8-32 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	17.000
MS35206-243		
MS35206-243	8-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-244		
MS35206-244	8-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-245		
MS35206-245	8-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	5.000
MS35206-245	8-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	20.000
MS35206-246		
MS35206-246	8-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	12.000
MS35206-246	8-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-247		
MS35206-247	8-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	21.000
MS35206-247	8-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	28.000
MS35206-249		
MS35206-249	8-32 x 1" Phillips Pan MS (2A) Steel 1022 Plain	62.000
MS35206-252		
MS35206-252	8-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35206-253		
MS35206-253	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	4.000
MS35206-253	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-260		
MS35206-260	10-24 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	5.000
MS35206-263Z		
MS35206-263Z	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1	1.000
MS35206-264		

Part#	Description	Qty / M
MS35206-264	10-24 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35206-264	10-24 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35206-266		
MS35206-266	10-24 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35206-266	10-24 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35206-269		
MS35206-269	10-24 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35206-270		
MS35206-270	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	4.000
MS35206-270	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	7.000
MS35206-328		
MS35206-328	6-32 x 1-1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35206-332		
MS35206-332	8-32 x 1-1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35207-201		
MS35207-201	2-64 x 1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35207-215		
MS35207-215	4-48 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	4.000
MS35207-232		
MS35207-232	6-40 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	2.000
MS35207-247		
MS35207-247	8-36 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35207-259		
MS35207-259	10-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000
MS35207-259	10-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
MS35207-260		
MS35207-260	10-32 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	5.000
MS35207-261		

Part#	Description	Qty / M
MS35207-261	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	2.000
MS35207-261	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	4.000
MS35207-261	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	3.000
<hr/>		
MS35207-264		
MS35207-264	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	3.000
MS35207-264	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	68.000
MS35207-264	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
<hr/>		
MS35207-265		
MS35207-265	10-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
<hr/>		
MS35207-267		
MS35207-267	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	4.000
MS35207-267	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35207-267	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
<hr/>		
MS35207-268		
MS35207-268	10-32 x 1-1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
<hr/>		
MS35207-269		
MS35207-269	10-32 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
<hr/>		
MS35207-271		
MS35207-271	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	13.000
MS35207-271	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35207-271	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
<hr/>		
MS35214-27C		
MS35214-27C	6-32 x 1/2" Phillips Pan MS (2A) Brass Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
<hr/>		
MS35214-43		
MS35214-43	8-32 x 5/8" Phillips Pan M/S (2A) Brass Black On Brass MIL-F-495	8.000
<hr/>		
MS35214-44		
MS35214-44	8-32 x 3/4" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E	2.000
<hr/>		
MS35214-48		

Part#	Description	Qty / M
MS35214-48	8-32 x 1-1/2" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E	2.000
MS35214-53		
MS35214-53	10-24 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495	11.000
MS35265-1		
MS35265-1	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	4.000
MS35265-1	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	3.000
MS35265-12		
MS35265-12	4-40 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35265-14		
MS35265-14	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	45.000
MS35265-14	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	5.000
MS35265-14	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35265-20		
MS35265-20	4-40 x 0.8800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35265-25		
MS35265-25	6-32 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35265-26		
MS35265-26	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	11.000
MS35265-27		
MS35265-27	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35265-27	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	44.000
MS35265-27	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35265-28		
MS35265-28	6-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35265-28	6-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35265-29		
MS35265-29	6-32 x 0.4400" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	99.000
MS35265-30		

Part#	Description	Qty / M
MS35265-30	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	7.000
MS35265-30	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	4.000
MS35265-40		
MS35265-40	8-32 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	1.000
MS35265-42		
MS35265-42	8-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	21.000
MS35265-43		
MS35265-43	8-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D	1.000
MS35265-44		
MS35265-44	8-32 x 0.4400" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	33.000
MS35265-45		
MS35265-45	8-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	12.000
MS35265-46		
MS35265-46	8-32 x 0.6200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	14.000
MS35265-46	8-32 x 0.6200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35265-65		
MS35265-65	10-24 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	17.000
MS35266-22		
MS35266-22	4-48 x 1-1/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35266-65		
MS35266-65	10-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	6.000
MS35266-66		
MS35266-66	10-32 x 0.8800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35266-70		
MS35266-70	10-32 x 1-3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E	2.000
MS35275-202		
MS35275-202	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-01	3.000
MS35275-203		

Part#	Description	Qty / M
MS35275-203	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	1.000
MS35275-203	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS35275-205		
MS35275-205	2-56 x 3/8" Saw Slotted Drilled Fillister (Less Drilling) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	15.000
MS35275-207		
MS35275-207	2-56 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS35275-207	2-56 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS35275-215		
MS35275-215	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	127.000
MS35275-215	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	33.000
MS35275-215	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	99.000
MS35275-215	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS35275-218		
MS35275-218	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS35275-218	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS35275-219		
MS35275-219	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5.000
MS35275-219	4-40 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	10.000
MS35275-220		
MS35275-220	4-40 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS35275-225		
MS35275-225	6-32 x 0.1880" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated AMS QQP-35	3.000
MS35275-226		
MS35275-226	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS35275-226	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	12.000
MS35275-227		
MS35275-227	6-32 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000

Part#	Description	Qty / M
MS35275-228		
MS35275-228	6-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS35275-229		
MS35275-229	6-32 x 7/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS35275-229	6-32 x 7/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	6.000
MS35275-230		
MS35275-230	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
MS35275-231		
MS35275-231	6-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS35275-231	6-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS35275-232		
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	10.000
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS35275-243		
MS35275-243	8-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS35275-243	8-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS35275-245		
MS35275-245	8-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS35275-246		
MS35275-246	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS35275-246	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	17.000
MS35275-249		
MS35275-249	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS35275-249	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS35275-263		
MS35275-263	10-24 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	14.000
MS35276-203		
MS35276-203	2-64 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	6.000

Part#	Description	Qty / M
MS35276-226		
MS35276-226	6-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	22.000
MS35276-261		
MS35276-261	10-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS35276-265		
MS35276-265	10-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS35276-266		
MS35276-266	10-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS35276-267		
MS35276-267	10-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	11.000
MS51849-54C		
MS51849-54C	8-32 x 1/2" Saw Slotted Indented Hex MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F	2.000
MS51861-37C		
MS51861-37C	8-18 x 3/4" Phillips Pan Type AB Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4	8.000
MS51861-48		
MS51861-48	10-16 x 7/8" Phillips Pan Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	1.000
MS51862-15C		
MS51862-15C	6-20 x 5/8" Phillips 80/82° Flat Type AB Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700E Method 1, Type 2 Class 4	5.000
MS51862-15C	6-20 x 5/8" Phillips 80/82° Flat Type AB Stainless Steel 410 DFAR Brite Hardened Passivate SAE-AMS2700E Method 1, Type 2 Class 4	6.000
MS51862-3		
MS51862-3	4-24 x 3/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	6.000
MS51862-37		
MS51862-37	10-16 x 7/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E	1.000
MS51896-1		
MS51896-1	4-40 x 3/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51896-1	4-40 x 3/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	54.000
MS51896-10		
MS51896-10	6-32 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)	2.000

Part#	Description	Qty / M
MS51896-11B		
MS51896-11B	6-32 x 3/4" Phillips Pan Captive 302 HQ Stainless Steel Black Oxide Mil-DTL-13924 CL 4	35.000
MS51896-12		
MS51896-12	6-32 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51896-15		
MS51896-15	8-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51896-15	8-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS51896-18		
MS51896-18	8-32 x 1-1/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51896-2		
MS51896-2	4-40 x 7/16" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)	3.000
MS51896-3		
MS51896-3	4-40 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	20.000
MS51896-4		
MS51896-4	4-40 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS51896-6		
MS51896-6	4-40 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51896-9		
MS51896-9	6-32 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS51957-1		
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4	16.000
MS51957-12		
MS51957-12	4-40 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS51957-120		
MS51957-120	4-40 x 9/16" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	5.000
MS51957-120	4-40 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	29.000
MS51957-123		
MS51957-123	6-32 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	51.000

Part#	Description	Qty / M
MS51957-123	6-32 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	119.000
MS51957-123-JACO		
MS51957-123-JACON	6-32 x 9/16" Phillips Pan Special MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified	27.000
MS51957-124		
MS51957-124	6-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS51957-127		
MS51957-127	8-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS51957-127	8-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS51957-13		
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	22.000
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	24.000
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	500.000
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	23.000
MS51957-13B		
MS51957-13B	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	8.000
MS51957-14		
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	3.000
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	2.000
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	12.000
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	11.000
MS51957-141		
MS51957-141	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	11.000
MS51957-141	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	4.000
MS51957-141	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE AMS2700-F Method 1 Type 6 Class 4	39.000
MS51957-14B		
MS51957-14B	4-40 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	43.000
MS51957-15		

Part#	Description	Qty / M
MS51957-15	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	25.000
MS51957-15	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	52.000
MS51957-16		
MS51957-16	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	9.000
MS51957-16	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified	105.000
MS51957-16	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	12.000
MS51957-16	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS51957-16B		
MS51957-16B	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	3.000
MS51957-16B	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	2.000
MS51957-17		
MS51957-17	4-40 x 1/2" Phillips Pan Captive 302 HQ Stainless Steel Passivated AMS QQP-35 Vibratite	8.000
MS51957-1B		
MS51957-1B	2-56 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	5.000
MS51957-2		
MS51957-2	2-56 x 3/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05	51.000
MS51957-21		
MS51957-21	4-40 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS51957-22		
MS51957-22	4-40 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS51957-22B		
MS51957-22B	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4	2.000
MS51957-25		
MS51957-25	6-32 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	32.000
MS51957-26		
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	5.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302 Stainless Steel	24.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	4.000

Part#	Description	Qty / M
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	11.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	15.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	27.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	9.000
MS51957-26	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
<hr/>		
MS51957-27		
MS51957-27	6-32 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
<hr/>		
MS51957-28		
MS51957-28	6-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	3.000
<hr/>		
MS51957-29		
MS51957-29	6-32 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
<hr/>		
MS51957-29B		
MS51957-29B	6-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	1.000
<hr/>		
MS51957-30		
MS51957-30	6-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
<hr/>		
MS51957-30B		
MS51957-30B	6-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	4.000
<hr/>		
MS51957-32		
MS51957-32	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	27.000
<hr/>		
MS51957-32B		
MS51957-32B	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	2.000
<hr/>		
MS51957-33		
MS51957-33	6-32 x 7/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	5.000
<hr/>		
MS51957-35		
MS51957-35	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	3.000
<hr/>		
MS51957-36		
MS51957-36	6-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	4.000
MS51957-36	6-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
<hr/>		
MS51957-37		

Part#	Description	Qty / M
MS51957-37	6-32 x 1-3/4" Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS51957-38		
MS51957-38	6-32 x 2" Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS51957-38B		
MS51957-38B	6-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	1.000
MS51957-4		
MS51957-4	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified	17.000
MS51957-40		
MS51957-40	8-32 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS51957-41		
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	5.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	5.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	2.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS51957-42		
MS51957-42	8-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	11.000
MS51957-42	8-32 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	25.000
MS51957-42	8-32 x 5/16" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
MS51957-42S316		
MS51957-42S316	8-32 x 5/16" Phillips Pan MS (2A) 316 Stainless Steel Passivated ASTM A967-05	5.000
MS51957-44		
MS51957-44	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05**	119.000
MS51957-47		
MS51957-47	8-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified	2.000
MS51957-48		
MS51957-48	8-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	2.000
MS51957-48B		
MS51957-48B	8-32 x 7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	2.000
MS51957-49		

Part#	Description	Qty / M
MS51957-49	8-32 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51957-4B		
MS51957-4B	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	6.000
MS51957-4B	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	25.000
MS51957-51		
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	7.000
MS51957-53S316		
MS51957-53S316	8-32 x 2" Phillips Pan MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51957-59		
MS51957-59	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	9.000
MS51957-5B		
MS51957-5B	2-56 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	2.000
MS51957-6		
MS51957-6	2-56 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	13.000
MS51957-61B		
MS51957-61B	10-24 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	2.000
MS51957-62		
MS51957-62	10-24 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS51957-63		
MS51957-63	10-24 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS51957-64		
MS51957-64	10-24 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS51957-64	10-24 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	7.000
MS51957-8		
MS51957-8	2-56 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
MS51957-9		

Part#	Description	Qty / M
MS51957-9	2-56 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified	15.000
MS51957-9	2-56 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS51957-SPEC		
MS51957-SPEC	8-32 x 20mm Phillips Pan (Less Captivate) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Plain	2.000
MS51958-120B		
MS51958-120B	0-80 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	12.000
MS51958-120B	0-80 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4	7.000
MS51958-121		
MS51958-121	0-80 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified	62.000
MS51958-121	0-80 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified	30.000
MS51958-122B		
MS51958-122B	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4	7.000
MS51958-123		
MS51958-123	0-80 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified (Misc.)	2.000
MS51958-125		
MS51958-125	0-80 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified	5.000
MS51958-126		
MS51958-126	0-80 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	6.000
MS51958-15		
MS51958-15	4-48 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	2.000
MS51958-26		
MS51958-26	6-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	21.000
MS51958-36		
MS51958-36	6-40 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	1.000
MS51958-44		
MS51958-44	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	4.000
MS51958-48		
MS51958-48	8-36 x 7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	2.000

Part#	Description	Qty / M
MS51958-52		
MS51958-52	8-36 x 1-3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1	1.000
MS51958-59		
MS51958-59	10-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified	9.000
MS51958-60		
MS51958-60	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	2.000
MS51958-60	10-32 x 0.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1	4.000
MS51958-60	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	4.000
MS51958-60	10-32 x 0.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1	8.000
MS51958-60	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified	4.000
MS51958-63		
MS51958-63	10-32 x 1/2" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
MS51958-63B		
MS51958-63B	10-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	18.000
MS51958-64B		
MS51958-64B	10-32 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	3.000
MS51958-67B		
MS51958-67B	10-32 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	1.000
MS51958-71		
MS51958-71	10-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1	2.000
MS51959-12		
MS51959-12	4-40 x 0.1880" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	13.000
MS51959-12	4-40 x 0.1880" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	46.000
MS51959-13		
MS51959-13	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	10.000
MS51959-13	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	10.000
MS51959-14		
MS51959-14	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)**	137.000
MS51959-14	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)**	237.000

Part#	Description	Qty / M
MS51959-15		
MS51959-15	4-40 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	16.000
MS51959-15S316		
MS51959-15S316	4-40 x 3/8" Phillips 80/82° Flat M/S 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS51959-16		
MS51959-16	4-40 x 0.4380" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
MS51959-17		
MS51959-17	4-40 x 1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS51959-19		
MS51959-19	4-40 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	15.000
MS51959-2		
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	12.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	5.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	31.000
MS51959-20		
MS51959-20	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
MS51959-20	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
MS51959-26		
MS51959-26	6-32 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	2.000
MS51959-27		
MS51959-27	6-32 x 0.3130" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS51959-27S316		
MS51959-27S316	6-32 x 5/16" Phillips 80/82° Flat M/S (2A) 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
MS51959-28		
MS51959-28	6-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
MS51959-2S316		
MS51959-2S316	2-56 x 0.1880" Phillips 80/82° Flat MS (2A) 316L Stainless Steel DFAR Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000

Part#	Description	Qty / M
MS51959-3		
MS51959-3	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS51959-3	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	14.000
MS51959-32		
MS51959-32	6-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	10.000
MS51959-32	6-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	4.000
MS51959-33B		
MS51959-33B	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4	2.000
MS51959-41		
MS51959-41	8-32 x 1/4" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51959-42		
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6.000
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS51959-44		
MS51959-44	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1.000
MS51959-44	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	3.000
MS51959-48		
MS51959-48	8-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	3.000
MS51959-5		
MS51959-5	2-56 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1	16.000
MS51959-53		
MS51959-53	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	3.000
MS51959-64		
MS51959-64	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	7.000
MS51959-64	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	7.000
MS51959-67		
MS51959-67	10-24 x 1" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
MS51959-68		

Part#	Description	Qty / M
MS51959-68	10-24 x 1-1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	6.000
MS51959-9		
MS51959-9	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	16.000
MS51960-3		
MS51960-3	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS51960-62		
MS51960-62	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51960-63		
MS51960-63	10-32 x 0.3800" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700-F Method 1 Type 6 Class 4	26.000
MS51960-63	10-32 x 0.3800" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	1.000
MS51960-64		
MS51960-64	10-32 x 0.4400" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51960-66		
MS51960-66	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
MS51960-66	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700-F Method 1 Type 6 Class 4	17.000
MS51960-66	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
MS51960-68		
MS51960-68	10-32 x 7/8" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
MS51960-69		
MS51960-69	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	3.000
NAS1100-3-4		
NAS1100-3-4	10-32 x 1/4" Offset Cruciform Pan Hd. (w/Head Marking) UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416C	10.000
NAS1100E02-5		
NAS1100E02-5	2-56 x 0.3120" Offset Cruciform Pan UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Passivate SAE-AMS2700E Method 1, Type 2 Class 4 (Misc.)	47.000
NAS1102-02-7		
NAS1102-02-7	2-56 x 0.4380" Offset Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416C	6.000
NAS1102-04-10		

Part#	Description	Qty / M
NAS1102-04-10	4-40 x 5/8" Offset Cruciform 99/101° Flat (w/Head Marking) UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Heat Treated per AMS-H-6875/AMS2759; HRC 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416C	21.000
NAS1189E06P5		
NAS1189E06P5	6-32 x 0.3120" Phillips 99/101° Flat (w/Head Marking) UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; HRC 36-40; UI Passivate SAE-AMS2700E Method 1, Type 2 Class 4 Patch (Misc.)	4.000
NAS1190E08P4B		
NAS1190E08P4B	8-32 x 1/4" Phillips Pan Hd. (w/Head Marking) UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRC 36-40; Ultimate Tensile 160ksi-180ksi Passivate SAE-AMS2700E Method 1, Type 2 Class 4 W/Locking Element	8.000
NAS1190E3P8B		
NAS1190E3P8B	10-32 x 1/2" Phillips Pan Hd. (w/Head Marking) UNJF-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; HRC 36-40; UI Passivate SAE-AMS2700E Method 1, Type 2 Class 4 LOCKING ELEMENT	3.000
NAS1635-00-5		
NAS1635-00-5	0-80 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	6.000
NAS1635-02-16		
NAS1635-02-16	2-56 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F	8.000
NAS1635-02LL7		
NAS1635-02LL7	2-56 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element - Strip Type	3.000
NAS1635-02LR4		
NAS1635-02LR4	2-56 x 1/4" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 Patch	6.000
NAS1635-04LE21		
NAS1635-04LE21	4-40 x 1.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element	1.000
NAS1635-04LL4		
NAS1635-04LL4	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Strip Type per NAS1283 torque per MIL-DTL-18240	1.000
NAS1635-04LN3		
NAS1635-04LN3	4-40 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Button Type per NAS1283 torque per MIL-DTL-18240	1.000
NAS1635-04LR12		
NAS1635-04LR12	4-40 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch	4.000
NAS1635-04LR6		
NAS1635-04LR6	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch	3.000
NAS1635-06LE5		

Part#	Description	Qty / M
NAS1635-06LE5	6-32 x 5/16" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch	4.000
NAS1635-06LE6		
NAS1635-06LE6	6-32 x 3/8" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element - Nylon Patch Type	1.000
NAS1635-06LR4		
NAS1635-06LR4	6-32 x 1/4" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type per NAS1283 torque per MIL-DTL-18240	5.000
NAS1635-08-30		
NAS1635-08-30	8-32 x 1-7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
NAS1635-3-12P		
NAS1635-3-12P	10-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 3	1.000
NAS1635-3LE12		
NAS1635-3LE12	10-32 x 3/4" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F LESS PATCH	3.000
NAS1635-3LE7		
NAS1635-3LE7	10-32 x 0.4380" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type per NAS1283 torque per MIL-DTL-18240	5.000
NAS514P1032-16		
NAS514P1032-16	10-32 x 1" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	21.000
NAS514P1032-7		
NAS514P1032-7	10-32 x 0.4380" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	24.000
NAS514P632-12		
NAS514P632-12	6-32 x 3/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	11.000
NAS514P632-4		
NAS514P632-4	6-32 x 1/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	20.000
NAS514P632-5P		
NAS514P632-5P	6-32 x 5/16" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Yellow Chromate Type 2 Class 3 AMS- (Misc)	11.000
NAS514P632-6		
NAS514P632-6	6-32 x 3/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)	9.000
NAS514P632-8		

Part#	Description	Qty / M
NAS514P632-8	6-32 x 1/2" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)	6.000
NAS514P832-10		
NAS514P832-10	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B	5.000
NAS514P832-10P		
NAS514P832-10P	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 B	17.000
NAS514P832-5		
NAS514P832-5	8-32 x 0.3120" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)	7.000
NAS514P832-5	8-32 x 0.3120" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)	21.000
NAS514P832-6		
NAS514P832-6	8-32 x 3/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416C	21.000
NAS600-5		
NAS600-5	4-40 x 0.3100" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)	8.000
NAS602-4		
NAS602-4	8-32 x 1/4" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)	67.000
NAS603-4P		
NAS603-4P	10-32 x 1/4" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)	10.000
NAS662-2LPR3		
NAS662-2LPR3	2-56 x 3/16" Phillips 99/101° Flat MS (2A) 1018 Steel Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416D Locking Element - Nylon Patch Type Element per NAS1283	1.000
NAS662B2R9		
NAS662B2R9	2-56 x 0.5620" Phillips 99/101° Flat MS (2A) Brass Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 C (Misc.)	3.000
NAS662C0-3		
NAS662C0-3	0-80 x 3/16" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	8.000
NAS662C0-8		
NAS662C0-8	0-80 x 1/2" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
NAS662C1-4		
NAS662C1-4	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1	97.000
NAS662C1-8		

Part#	Description	Qty / M
NAS662C1-8	1-64 x 1/2" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
NAS662C2-4		
NAS662C2-4	2-56 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000
NAS662C2LLR6		
NAS662C2LLR6	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Strip Type Element per NAS1283	1.000
NAS662C2LNR4		
NAS662C2LNR4	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Patch Pellet Type	1.000
NAS662C2LP9		
NAS662C2LP9	2-56 x 0.5620" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type Element per NAS1283	1.000
NAS662C2LPR9		
NAS662C2LPR9	2-56 x 0.5620" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type Element per NAS1283	1.000
NAS662C2R12		
NAS662C2R12	2-56 x 3/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
NAS662C2R18		
NAS662C2R18	2-56 x 1-1/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	5.000
NAS662C2R2		
NAS662C2R2	2-56 x 1/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
NAS662C2R3		
NAS662C2R3	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	3.000
NAS662C2R3	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	59.000
NAS662C2R5		
NAS662C2R5	2-56 x 0.3120" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	146.000
NAS662C2R6		
NAS662C2R6	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	4.000
NAS662C2R6	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
NAS662C2R7		
NAS662C2R7	2-56 x 0.4380" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	1.000
NAS662C2R7	2-56 x 0.4380" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4	2.000

(800) 589-3242 • NEF@NEF1.com • www.NEF1.com • 8 Tremco Drive, Terryville, CT 06786-0322