



Stock List

<i>Qty</i>	<i>Description</i>
.113/.115	
22000	.113/.115 x 0.6200" +/- .020 Overall length Conventional Wafer Rivet Special 1018 Steel Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416E
00-6	
9000	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C
2000	00-6 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	00-6 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
4000	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
8000	00-6 x 5/32" Slotted Round Type U 302 Stainless DFARS Compliant
00-90	
33000	00-90 x 1/16" Slotted Pan M/S (2A) 18-8 Stainless
225000	00-90 x 5/64" Slotted Pan M/S (2A) 302 HQ Stainless Steel
10000	00-90 x 1/8" Slotted Pan MS (2A) 302 Stainless Steel
23000	00-90 x 1/8" Slotted Pan MS (2A) 302 HQ Stainless Steel
15000	00-90 x 1/8" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant
00-96	
11000	00-96 x 1/8" Slotted Bind MS (2A) 302 Stainless Steel
10000	00-96 x 1/8" Phillips 80/82° Flat MS (2A) 302 Stainless Steel
0-40	
17000	0-40 x 1/8" 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Nickel Plate & Bake
46000	0-40 x 1/4" 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat
0-42	
11000	0-42 x 3/16" 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
9000	0-42 x 3/16" 6 - Lobe Pan PTRS 60-1 302HQ Stainless DFARS Compliant
1000	0-42 x 1/4" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant

<i>Qty</i>	<i>Description</i>
26000	0-42 x 1/4" 6 - Lobe 80/82° Flat PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
4000	0-42 x 5/16" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant Passivated Air Dried
3000	0-42 x 3/8" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant

0-48

18000	0-48 x 2mm Phillips Pan Washer SPECIAL Flat top Type B Steel 1022 Heat Treat Nickel Plate & Bake
20000	0-48 x 1/8" Phillips Pan Type AB 302HQ Stainless DFARS Compliant
1000	0-48 x 0.1650" (+/-0.010) Phillips Pan Type BF Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate Blue
12000	0-48 x 3/16" Phillips Pan Type B 302HQ Stainless DFARS Compliant
2000	0-48 x 3/16" Phillips Pan Type B 302HQ Stainless DFARS Compliant
10000	0-48 x 3/8" Phillips 80/82° Flat Type AB 302 Stainless Steel
10000	0-48 x 1/2" Phillips 80/82° Flat Type AB 302 Stainless Steel

0-6

1000	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Zinc & Bake Trivalent Clear Chromate
5000	0-6 x 1/8"+/-0.020 Conventional Round Type U 302HQ Stainless DFARS Compliant
105000	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
109000	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
3000	0-6 x 3/16" Conventional 80/82° Flat Type U Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
5000	0-6 x 3/16" Conventional Round Type U 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	0-6 x 1/4" Conventional Round Type U Stainless Steel 410 DFAR Brite Hardened Passivate ASTM A380 code F HRC 35-45

0-80

29000	0-80 x 0.0620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
15000	0-80 x 1/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
7000	0-80 x 1/16" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE AMS-QQ-P-35 Type VI
12000	0-80 x 0.0850" (+003-.005) Socket Button 3A Steel 1022 Heat Treat RC 38-43Black Oxide
1000	0-80 x 0.0930" Saw Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

Qty	Description
10000	0-80 x 0.0930" +/-0.005 Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
35000	0-80 x 3/32" Phillips Round MS (2A) 302 HQ Stainless Steel
2000	0-80 x 3/32" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
13000	0-80 x 0.1150" 6 - Lobe T5 82/80° Flat U/C Special MS (2A) 4037 Alloy Steel DFAR Heat Treat RC 39-42 ASTM F835 Black Oxide
7000	0-80 x 1/8" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
12000	0-80 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
16000	0-80 x 1/8" Phillips Pan with undercut (.085/.080" dia.x .010/.007" dee MS (2A) 302HQ Stainless DFARS Compliant Heat Treat Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	0-80 x 1/8" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
23000	0-80 x 1/8" 6 - Lobe Pan MS 3A 316L Stainless Steel DFAR Plain
5000	0-80 x 1/8" Phillips 99/101° Flat MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	0-80 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
45000	0-80 x 1/8" +/-0.005 6 - Lobe Pan MS (2A) 302HQ Stainless DFARS Compliant
33000	0-80 x 1/8" +/-0.005 6 - Lobe Pan MS (2A) 302HQ Stainless DFARS Compliant
5000	0-80 x 1/8" Saw Slotted 82/80° Flat U/C Special MS (2A) 302HQ Stainless DFARS Compliant Plain
3000	0-80 x 1/8" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
18000	0-80 x 1/8" 6 - Lobe T-5 82/80° Flat U/C MS (2A) Steel 1022 Plain
2000	0-80 x 1/8" +/-0.005 6 - Lobe Pan MS (2A) 316L Stainless Steel DFAR Black Oxide Mil-DTL-13924D CL 4
4000	0-80 x 1/8" Unslotted Indented Hex MS (2A) Brass
14000	0-80 x 0.1430" 6 - Lobe Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide NO OIL
10000	0-80 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
31000	0-80 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
81000	0-80 x 5/32" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
9000	0-80 x 5/32" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant
3000	0-80 x 5/32" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
5000	0-80 x 5/32" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
3000	0-80 x 0.1870" +/-0.020 Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
24000	0-80 x 3/16" Phillips Round MS (2A) 302 HQ Stainless Steel
36000	0-80 x 3/16" Socket Button Head Cap MS 3A 18-8 Stainless Steel

Qty	Description
13000	0-80 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
6000	0-80 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022
4000	0-80 x 3/16" Phillips 80/82° Flat MS (2A) 316L Stainless Steel DFAR
6000	0-80 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
62000	0-80 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
4000	0-80 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate Patch
2000	0-80 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
000	0-80 x 3/16" Phillips Pan Captive 302HQ Stainless DFARS Compliant
30000	0-80 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
4000	0-80 x 0.1880" 6 - Lobe 82/80° Flat U/C MS (2A) Steel 1022 Black Zinc Trivalent Chromate .0002-.0003
8000	0-80 x 3/16" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	0-80 x 7/32" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
9000	0-80 x 0.2190" +.000/-0.010 Phillips 80/82° Flat MS (2A) Brass Bright Tin .0002 min per MIL-T-10727 over Copper .0001 min per MIL-C-14550
3000	0-80 x 1/4" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
13000	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
38000	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
14000	0-80 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
2000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	0-80 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
000	0-80 x 0.2830" +/-0.005 Phillips 80/82° Flat Captive 302HQ Stainless DFARS Compliant
5000	0-80 x 0.3120" +/-0.015 Slotted Pan MS 3A 302HQ Stainless DFARS Compliant Passivated Air Dried Black Oxide Mil-DTL-13924D CL 4 Spin Dry
6000	0-80 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

<i>Qty</i>	<i>Description</i>
15000	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
13000	0-80 x 5/16" Phillips 80/82° Flat Thread Rolling Screw (TRS) Steel Heat Treat Brite Zinc Chromate & Bake
7000	0-80 x 5/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
13000	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	0-80 x 5/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	0-80 x 5/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
12000	0-80 x 5/16" +.005/-.015 Saw Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	0-80 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified (Misc.)
3000	0-80 x 11/32" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
38000	0-80 x 3/8" Slotted Fillister M/S (2A) 18-8 Stainless
18000	0-80 x 3/8" Struck Slotted Bind MS (2A) 302 Stainless
6000	0-80 x 3/8" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
128000	0-80 x 3/8" Socket Button Head Cap MS 3A 302 Stainless Steel
21000	0-80 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700F Method 1 Type 6 Class 4
48000	0-80 x 7/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
58000	0-80 x 7/16" Struck Slotted Round MS (2A) 302 Stainless DFARS Compliant
9000	0-80 x 7/16" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
5000	0-80 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
3000	0-80 x 1/2" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
19000	0-80 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
6000	0-80 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
11000	0-80 x 1/2" Struck Slotted Bind MS (2A) 302 Stainless Steel
2000	0-80 x 1/2" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	0-80 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	0-80 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4
95000	0-80 x 1/2" +/-0.005 Socket Head Cap MS 3A 4037 Alloy Steel Heat Treatment 4037 Alloy Black Oxide
2000	0-80 x 1/2" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4

Qty	Description
2000	0-80 x 11/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
3000	0-80 x 3/4" Saw Slotted Fillister MS (2A) Brass Brite Nickel .0001min thck per QQ-N-290, Class 1 (Type VII)
104000	0-80 x 3/4" Phillips Pan MS (2A) 18-8 Stainless Steel
16000	0-80 x 1" Phillips Round MS (2A) 18-8 Stainless Steel
153000	0-80 x 1" Phillips Pan MS (2A) 302 Stainless Steel
5000	0-80 x 1" Saw Slotted Fillister MS (2A) Brass
6000	0-80 x 1" Slotted Bind MS (2A) 302 Stainless DFARS Compliant

10-16

2000	10-16 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4
7000	10-16 x 1/2" Phillips 80/82° Flat Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E
1000	10-16 x 7/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
1000	10-16 x 7/8" Phillips Pan Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
2000	10-16 x 1" Slotted Round Type AB 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

10-24

9000	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
1000	10-24 x 1/4" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
5000	10-24 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
2000	10-24 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	10-24 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
6000	10-24 x 3/8" Slotted Round MS (2A) Brass
3000	10-24 x 3/8" Socket Flat Head Cap Screw MS 3A 302HQ Stainless DFARS Compliant
11000	10-24 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495
2000	10-24 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
000	10-24 x 1/2" Phillips Pan Type F Stainless Steel 410 DFAR Brite Hardened
2000	10-24 x 1/2" Saw Slotted Round MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1 Locking Element - Nylon Patch Type (Misc.)
1000	10-24 x 1/2" Saw Slotted 80/82° Flat MS (2A) Steel 1022 Zinc Yellow Hexavalent QQ-Z-325 Type 2 Class 3

Qty	Description
1000	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1
2000	10-24 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
7000	10-24 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
14000	10-24 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	10-24 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	10-24 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	10-24 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-24 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)
7000	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
7000	10-24 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	10-24 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	10-24 x 5/8" Socket Flat Head Cap Screw (w/head marking) MS 3A A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759/1; HRc 39-45; Ultimate Tensile 180ksi-220ksi Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C
7000	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	10-24 x 5/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-24 x 5/8" Saw Slotted 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
1000	10-24 x 3/4" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant
2000	10-24 x 3/4" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
11000	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
1000	10-24 x 3/4" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
17000	10-24 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-24 x 3/4" Phillips Pan Type F Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4
2000	10-24 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	10-24 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-24 x 1" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
8000	10-24 x 1" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

Qty	Description
6000	10-24 x 1-1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
2000	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
1000	10-24 x 1-1/4" Combo Phil Slot Indented Hex MS (2A) 302HQ Stainless DFARS Compliant
2000	10-24 x 1-1/2" Phillips Pan MS (2A) Brass
3000	10-24 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
7000	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
1000	10-24 x 1-3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

10-32

9000	10-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
1000	10-32 x 1/4" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	10-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	10-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
10000	10-32 x 1/4" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)
10000	10-32 x 1/4" Offset Cruciform Pan Hd. (w/Head Marking) UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759; HRC 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Cadmium Plate Yellow Chromate Baked Type 2 Class 2
5000	10-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	10-32 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
10000	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	10-32 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
2000	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
3000	10-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
4000	10-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
3000	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
13000	10-32 x 0.3120" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	10-32 x 0.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1
8000	10-32 x 0.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1
3000	10-32 x 3/8" Socket Button Head Cap MS 3A A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759; HRc 39-45; Ultimate Tensile 180ksi-220ksi Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416E
4000	10-32 x 3/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
76000	10-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05
4000	10-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	10-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
4000	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
2000	10-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 0.3800" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
26000	10-32 x 0.3800" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE AMS2700-F Method 1 Type 6 Class 4
7000	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
2000	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
4000	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-32 x 7/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
3000	10-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	10-32 x 7/16" +/-0.015 6 - Lobe T20 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Special per print part

Qty	Description
3000	10-32 x 7/16" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type (Misc.)
3000	10-32 x 7/16" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type
24000	10-32 x 0.4380" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
5000	10-32 x 0.4380" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type per NAS1283 torque per MIL-DTL-18240
1000	10-32 x 0.4400" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	10-32 x 1/2" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
3000	10-32 x 1/2" Phillips Pan Hd. (w/Head Marking) UNJF-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; UI Passivate SAE-AMS2700E Method 1, Type 2 Class 4 LOCKING ELEMENT
18000	10-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
8000	10-32 x 1/2" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
9000	10-32 x 1/2" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
2000	10-32 x 1/2" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E Locking Element - Nylon Patch Type
2000	10-32 x 1/2" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	10-32 x 9/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide
1000	10-32 x 0.6100" Saw Special Slotted Fillister MS With Header Point Steel 1022 Heat Treat Grade 5 Zinc Yellow and Bake per ASTM B633, Fe/Zn 5 Type II SC1
1000	10-32 x 0.6100" Saw Special Slotted Fillister MS With Header Point Steel 1022 Heat Treat Grade 5 Zinc Yellow and Bake per ASTM B633, Fe/Zn 5 Type II SC1
1000	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
17000	10-32 x 0.6200" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE AMS2700-F Method 1 Type 6 Class 4
2000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
6000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
10000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
68000	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D

<i>Qty</i>	<i>Description</i>
1000	10-32 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1
3000	10-32 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	10-32 x 5/8" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	10-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
15000	10-32 x 5/8" Phillips Pan Washer Head MS (2A) Steel 1022 Black Zinc Trivalent Chromate
8000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
19000	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
8000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	10-32 x 5/8" +/- .010 Conventional Pan SPECIAL with Bumps MS (2A) Brass
2000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	10-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	10-32 x 0.7200" +/- .010 Phillips Pan Captive length .190-.210 with chamfer 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI (Misc.)
1000	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	10-32 x 3/4" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F LESS PATCH
2000	10-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 3/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
14000	10-32 x 3/4" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant
6000	10-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 3
9000	10-32 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
9000	10-32 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4

Qty	Description
1000	10-32 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	10-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	10-32 x 7/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	10-32 x 7/8" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	10-32 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
7000	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	10-32 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
2000	10-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	10-32 x 0.8800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
1000	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
11000	10-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
21000	10-32 x 1" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
3000	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
24000	10-32 x 1" Combo Phil Slot Pan M/S Partial Thread with Un-Threaded Cone Point 302HQ Stainless DFARS Compliant
1000	10-32 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
5000	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
31000	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4

<i>Qty</i>	<i>Description</i>
7000	10-32 x 1" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 1-1/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	10-32 x 1-1/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	10-32 x 1-1/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
7000	10-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
8000	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-32 x 1-1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	10-32 x 1.3100" +/- .010 Phillips Pan Captive length .190-.210 with chanfer 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
8000	10-32 x 1-3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	10-32 x 1.4400" Phillips Slotted Fillister Cone Pointed Fully Threaded MS (2A) 304 Stainless Steel
2000	10-32 x 1-1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
2000	10-32 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 1-1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	10-32 x 1-5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	10-32 x 1-3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
13000	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B

<i>Qty</i>	<i>Description</i>
2000	10-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1
1000	10-32 x 2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
<hr/>	
10-8	
3000	10-8 x 3/8" Conventional Round Type U 302HQ Stainless DFARS Compliant
<hr/>	
1-32	
6000	1-32 x 1/8" Phillips Pan PTRS 48-2 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
12000	1-32 x 3/16" Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	1-32 x 1/4" Phillips Pan PTRS 48-2 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	1-32 x 1/4" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant
8000	1-32 x 5/16" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant
13000	1-32 x 0.3430" Phillips Special Pan (Flat Top) PTRS 60-1 Steel 1022 Heat Treat Zinc Black Trivalent w/ Bake RC28-38
<hr/>	
1-42	
1000	1-42 x 1/8" Phillips 82/80° Flat U/C Type AB 302HQ Stainless DFARS Compliant
10000	1-42 x 3/16" Slotted Pan Type B Brass Brite Nickel
7000	1-42 x 3/16" Slotted Pan Type B 302HQ Stainless DFARS Compliant
32000	1-42 x 0.1880" Phillips Pan Type B Steel 1022 Heat Treat Black Oxide & Oil
13000	1-42 x 5/16" Phillips Pan Type B Steel 1022 Heat Treat Nickel Plate & Bake
8000	1-42 x 3/8" Phillips Pan Type AB 302 Stainless Steel
4000	1-42 x 3/8" Phillips 80/82° Flat Type AB 302HQ Stainless DFARS Compliant
3000	1-42 x 1/2" Phillips Pan Type AB 302 Stainless DFARS Compliant
<hr/>	
1-64	
6000	1-64 x 1/8" Phillips Pan MS (2A) Steel 1022 Zinc W/Black Chromate
10000	1-64 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
10000	1-64 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
10000	1-64 x 1/8" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant
4000	1-64 x 5/32" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
12000	1-64 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
5000	1-64 x 0.1800" Phillips 80/82° Flat MS (2A) Brass Black Oxide NO OIL

Qty	Description
8000	1-64 x 0.1800" Phillips 80/82° Flat MS (2A) Brass Black Oxide NO OIL
2000	1-64 x 3/16" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
2000	1-64 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
7000	1-64 x 3/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
3000	1-64 x 1/4" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
97000	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1
7000	1-64 x 1/4" Struck Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
1000	1-64 x 5/16" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	1-64 x 5/16" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	1-64 x 3/8" Struck Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
6000	1-64 x 7/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
5000	1-64 x 7/16" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Black Oxide Mil-DTL-13924D CL 4
4000	1-64 x 1/2" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	1-64 x 3/4" Slotted Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate .0002-.0003

1-72

5000	1-72 x 3/32" Phillips Bind MS (2A) Steel 1022 Brite Nickel
8000	1-72 x 3/32" Phillips Bind MS (2A) Steel 1022 Brite Nickel
8000	1-72 x 3/32" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
10000	1-72 x 0.1200" 6 - Lobe 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
2000	1-72 x 1/8" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
6000	1-72 x 1/8" Phillips 99/101° Flat U/C Special MS (2A) 302HQ Stainless DFARS Compliant
5000	1-72 x 0.1500" +/- .005 6 - Lobe T5 Wafer MS 3A 302HQ Stainless DFARS Compliant Burnished
6000	1-72 x 0.1560" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivated AMS QQ-P-35 Type VI
3000	1-72 x 5/32" Saw Slotted 80/82° Flat MS (2A) 316L Stainless Steel
6000	1-72 x 5/32" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant

Qty	Description
3000	1-72 x 0.1870" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Double Roll Sort
6000	1-72 x 3/16" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant
7000	1-72 x 3/16" Saw Slotted Fillister MS (2A) Brass
49000	1-72 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
60000	1-72 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
5000	1-72 x 3/16" Phillips 99/101° Flat U/C Special MS (2A) 302HQ Stainless DFARS Compliant
2000	1-72 x 0.1880" Saw Slotted 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI (Misc.)
22000	1-72 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	1-72 x 1/4" Slotted Round MS (2A) Brass
19000	1-72 x 1/4" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
5000	1-72 x 0.2570" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	1-72 x 0.3120" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
26000	1-72 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel
5000	1-72 x 5/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
6000	1-72 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
2000	1-72 x 0.3300" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
53000	1-72 x 3/8" Socket Flat Head Cap Screw MS 3A 302HQ Stainless DFARS Compliant
20000	1-72 x 3/8" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
5000	1-72 x 7/16" Slotted Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
4000	1-72 x 1/2" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
5000	1-72 x 1/2" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
2000	1-72 x 1/2" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant
5000	1-72 x 3/4" Socket Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant Black Oxide
2000	1-72 x 3/4" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant
3000	1-72 x 1" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

Qty	Description
3000	2-28 x 4.76mm Phillips 82/80° Flat U/C PTRS 48-1 302HQ Stainless DFARS Compliant Passivated Air Dried
3000	2-28 x 3/16" Phillips Fillister PTRS 48-2 316L Stainless Steel DFAR
7000	2-28 x 0.2100" Phillips 82/80° Flat U/C PTRS 60-1 Steel 1022 Heat Treat Zinc Bake Trivalent W/Wax lubricant
5000	2-28 x 1/4" Phillips 80/82° Flat PTRS 48-2 Steel 1022 Heat Treat Zinc Bake Trivalent W/Wax lubricant
14000	2-28 x 1/4" Phillips Special Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0002-.00025 Clear
4000	2-28 x 1/4" +0/-.030 Phillips Pan PTRS 48-2 302HQ Stainless DFARS Compliant Passivated Air Dried
15000	2-28 x 0.3120" +0/-.030 Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
55000	2-28 x 0.3120" 6 Lobe Plus Pan T7 PTRS 48-2 302HQ Stainless DFARS Compliant
11000	2-28 x 5/16" ACR ® Phillips II Pan PTRS 60-1 With Gimlet Point Steel 1022 Heat Treat Black Oxide
9000	2-28 x 0.3130" 6 - Lobe Pan PTRS 48-2 302HQ Stainless DFARS Compliant Black Oxide
9000	2-28 x 3/8" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant
23000	2-28 x 1/2" Phillips Pan 48°-2 PTRS Twin Lead Steel Heat Treat Zinc/Bake & Wax
61000	2-28 x 1/2" 6 - Lobe Pan PTRS 48-2 302HQ Stainless DFARS Compliant
15000	2-28 x 1/2" 6 - Lobe Pan PTRS 48-2 302HQ Stainless DFARS Compliant

2-32

52000	2-32 x 1/8" Phillips Pan Type AB Steel 1022 Heat Treat Brite Zinc & Clear
10000	2-32 x 1/8" Phillips Pan Type B 302HQ Stainless DFARS Compliant
23000	2-32 x 1/8" Phillips Pan Type B 302HQ Stainless DFARS Compliant
11000	2-32 x 0.1800" Phillips 82/80° Flat U/C Type B 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 (Misc.)
2000	2-32 x 3/16" Phillips 82/80° Flat U/C Type AB 302HQ Stainless DFARS Compliant
2000	2-32 x 3/16" Phillips Pan High-Low Stainless Steel 410 Brite Hardened
5000	2-32 x 3/16" Phillips Pan Type B Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
6000	2-32 x 1/4" Phillips Round Type AB Steel 1022 Heat Treat Brass Plate & Bake
5000	2-32 x 1/4" Saw Slotted Pan Type 25 Shank Slot Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416E
6000	2-32 x 1/4" Phillips 80/82° Flat Type BF Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
9000	2-32 x 9/32" Phillips Fillister Type B Steel 1022 Heat Treat Nickel Plate & Bake

<i>Qty</i>	<i>Description</i>
5000	2-32 x 5/16" Phillips Pan Type B Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	2-32 x 5/16" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Brass Plate & Bake
2000	2-32 x 3/8" Combo Phil Slot Pan Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate Clear
10000	2-32 x 5/8" Phillips Pan Type B 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type II Black Oxide Mil-DTL-13924D CL 4
27000	2-32 x .875+0/-0.050 Phillips Pan Type 25 (Shank Slot .062-.110 Long) 18-8 Stainless Passivated Air Dried

2-56

15000	2-56 x 1/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
1000	2-56 x 1/16" Phillips Pan MS (2A) Steel 1022 Zinc W/Black Chromate Hexavalent
2000	2-56 x 0.0860" Saw Slotted Wafer SPECIAL MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
8000	2-56 x 3/32" Slotted U/C Bind MS (2A) Brass Nickel Plate
10000	2-56 x 3/32" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
11000	2-56 x 3/32" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
5000	2-56 x 0.1050" Phillips Bind MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
5000	2-56 x 0.1050" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant
3000	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
4000	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
20000	2-56 x 0.1200" +/-0.010" Saw Slotted Pan MS (2A) A286 Alloy DFAR
5000	2-56 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
8000	2-56 x 1/8" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
23000	2-56 x 1/8" 6 - Lobe T-8 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
28000	2-56 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
2000	2-56 x 1/8" Saw Slotted Fillister M/S Brass Brite Ni Chrome
5000	2-56 x 1/8" Phillips Fillister MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate
29000	2-56 x 1/8" 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
6000	2-56 x 1/8" Phillips Pan TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
30000	2-56 x 1/8" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
3000	2-56 x 1/8" Phillips Pan Type F Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700F Method 1, Type 2 Class 4
16000	2-56 x 1/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4
13000	2-56 x 1/8" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried

Qty	Description
3000	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
12000	2-56 x 1/8" +.0 /-.010 Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant PLAIN
12000	2-56 x 1/8" 6 - Lobe Pan MS (2A) 316L Stainless Steel Passivated AMS QQ-P-35 Type VI
4000	2-56 x 1/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
17000	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
6000	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
15000	2-56 x 0.1350" +.020/-.000 Phillips Pan MS (2A) WITH HEADER POINT 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Double Roll Sort (Misc.)
36000	2-56 x 0.1350" +.020/-.000 Phillips Pan MS (2A) WITH HEADER POINT 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Double Roll Sort (Misc.)
4000	2-56 x 0.1380" +0.000/-0.005 Phillips Round MS (2A) 302HQ Stainless DFARS Compliant Plain Less Locking
3000	2-56 x 0.1550" +0/-.015 Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
12000	2-56 x 0.1560" Saw Slotted Fillister MS (2A) Brass
9000	2-56 x 0.1560" Phillips 99/101° Flat Special MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
175000	2-56 x 0.1560" 6 - Lobe 82/80° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
5000	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	2-56 x 0.1560" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Burnished Passivated AMS QQ-P-35 Type VI
153000	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	2-56 x 5/32" Slotted Bind MS (2A) Brass Brite Nickel
3000	2-56 x 5/32" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	2-56 x 5/32" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
13000	2-56 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	2-56 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
3000	2-56 x 5/32" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
1000	2-56 x 5/32" 6 - Lobe 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 Dry To Touch
42000	2-56 x 5/32" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
13000	2-56 x 0.1600" +-.005 6 - Lobe Button M/S (2A) 18-8 Stainless Black Oxide
5000	2-56 x 0.1600"+/-.005 6 - Lobe Pan SPECIAL MS (2A) 302HQ Stainless DFARS Compliant Black Oxide

Qty	Description
6000	2-56 x 0.1730" +/-0.005" 6 - Lobe T-6 Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
7000	2-56 x 0.1870" +- .005 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant Passivated Air Dried
6000	2-56 x 0.1870" Socket Button Head Cap MS 3A A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Passivate To ASTM A380 code F
6000	2-56 x 0.1870" 6 - Lobe 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
9000	2-56 x 0.1870" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Black Oxide Mil-DTL-13924D CL 4
60000	2-56 x 3/16" 6 - Lobe Pan M/S Steel Heat Treat SAE J933 Brite Zinc & Bake STM B 633-85
1000	2-56 x 3/16" 6 - Lobe 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried Patch
5000	2-56 x 3/16" 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
8000	2-56 x 3/16" 6 - Lobe Button Head Cap Special Head Dia. .132/.122 MS 3A 302HQ Stainless DFARS Compliant
8000	2-56 x 3/16" Phillips Pan Special U/C {Depth .010 ref. / Diameter .125/. MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
51000	2-56 x 3/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05
9000	2-56 x 3/16" Phillips 80/82° Flat Special MS (2A) 302HQ Stainless DFARS Compliant
5000	2-56 x 3/16" Saw Slotted 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
59000	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
3000	2-56 x 3/16" Phillips 99/101° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
12000	2-56 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide
2000	2-56 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1, Type 2 Class 4
10000	2-56 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	2-56 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1, Type 2 Class 4
6000	2-56 x 3/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
5000	2-56 x 3/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
29000	2-56 x 3/16" 6 - Lobe Pan MS (2A) 302HQ Stainless DFARS Compliant
11000	2-56 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
2000	2-56 x 3/16" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
3000	2-56 x 3/16" Phillips 99/101° Flat Special MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
31000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
4000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	2-56 x 3/16" Phillips 99/101° Flat MS (2A) 1018 Steel Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416D Locking Element - Nylon Patch Type Element per NAS1283
5000	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416D
12000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	2-56 x 3/16" +/- .005 Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	2-56 x 3/16" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-01
1000	2-56 x 0.1880" Phillips Fillister Captive 302HQ Stainless DFARS Compliant
8000	2-56 x 0.1880" +/- .012 Phillips Wafer MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried
6000	2-56 x 0.1880" 6 - Lobe 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
6000	2-56 x 0.1880" Saw Slotted Pan MS (2A) Brass Nickel over Brass Per Mil-F-14072
4000	2-56 x 0.1880" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 3 (Misc.)
2000	2-56 x 0.1880" Phillips 80/82° Flat MS (2A) 316L Stainless Steel DFAR Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	2-56 x 0.1880" Phillips Truss (FULL CONTOUR) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	2-56 x 0.2180" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
10000	2-56 x 0.2200"-.212 Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
30000	2-56 x 0.2200" 6 - Lobe T-6 Button Cap Screw 3A 302HQ Stainless DFARS Compliant
1000	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
4000	2-56 x 1/4" 6 - Lobe Flat Head Cap Screw MS 3A 316L Stainless Steel DFAR Black Oxide Mil-DTL-13924E CL 4
15000	2-56 x 1/4" 6 - Lobe 80/82° Flat T6 CAP SCREW MS (2A) 302 Stainless Steel
2000	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	2-56 x 1/4" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 Patch
9000	2-56 x 1/4" +/- .005 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant Plain
2000	2-56 x 1/4" +/- .015 Saw Slotted Pan special MS (2A) Brass Silver
4000	2-56 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
5000	2-56 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	2-56 x 1/4" Mortorq ® 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant

Qty	Description
2000	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
3000	2-56 x 1/4" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant
4000	2-56 x 1/4" Saw Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
3000	2-56 x 1/4" 6 - Lobe 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Patch Pellet Type
3000	2-56 x 1/4" Saw Slotted Bind MS (2A) Steel 1022 Black Oxide Mil-DTL-13924D CL 1
14000	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	2-56 x 1/4" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	2-56 x 1/4" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
13000	2-56 x 1/4" Saw Slotted Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
59000	2-56 x 1/4"+.020/-.000 Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Double Roll Sort
30000	2-56 x 1/4"+.020/-.000 Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Double Roll Sort
2000	2-56 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	2-56 x 0.2810" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	2-56 x 9/32" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Black Oxide
47000	2-56 x 0.3120" Offset Cruciform Pan UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Passivate SAE-AMS2700E Method 1, Type 2 Class 4 (Misc.)
2000	2-56 x 0.3120" Phillips 99/101° Flat UNJC-3A Fully Threaded A286 Alloy DFAR A-286 Heat Treat AMS5737 Passivated AMS QQ-P-35 Type II
146000	2-56 x 0.3120" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	2-56 x 0.3120" Saw Slotted Flat Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried
6000	2-56 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
8000	2-56 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate SAE AMS-QQ-P-416-E Type II (Yellow Chromate) Class 3 (.0002/.0004")
3000	2-56 x 0.3120" Saw Slotted Bind MS (2A) 4037 Alloy Steel Zinc Plate ASTM F1941/F1941M Fe/Zn 5AN (.0002/.0003")
102000	2-56 x 5/16" Socket Button Head Cap MS 3A 302 Stainless Steel
6000	2-56 x 5/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

Qty	Description
6000	2-56 x 5/16" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
27000	2-56 x 5/16" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
4000	2-56 x 5/16" Slotted Pan MS (2A) 302 HQ Stainless Steel Passivated Air Dried
25000	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
2000	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1, Type 2 Class 4
4000	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
17000	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified
2000	2-56 x 5/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
2000	2-56 x 5/16" Saw Slotted (0.024/.030 depth) Special Bind M/S 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	2-56 x 5/16" Phillips Pan MS (2A) Steel 1022 Bright Zinc per ASTM B633 Type I
6000	2-56 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
4000	2-56 x 5/16" Saw Slotted (0.024/.030 depth) Special Bind M/S 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
15000	2-56 x 3/8" Saw Slotted Drilled Fillister (Less Drilling) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
28000	2-56 x 3/8" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
50000	2-56 x 3/8" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
4000	2-56 x 3/8" Socket Flat Head Cap Screw MS 3A Brass
2000	2-56 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
11000	2-56 x 3/8" Saw Slotted (0.024/.030 depth) Special Bind M/S 302HQ Stainless DFARS Compliant
1000	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Strip Type Element per NAS1283
9000	2-56 x 3/8" 6 - Lobe 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
16000	2-56 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
2000	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	2-56 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
4000	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
12000	2-56 x 0.4000" +- .005 6 - Lobe Button Head Cap MS 3A 302 HQ Stainless Steel
2000	2-56 x 7/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4

Qty	Description
3000	2-56 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element - Strip Type
3000	2-56 x 7/16" Saw Slotted Bind Sems Blank 302HQ Stainless DFARS Compliant
1000	2-56 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	2-56 x 0.4380" Offset Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi Cadmium Plate Yellow Chromate Baked Type 2 Class 2
13000	2-56 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	2-56 x 0.4380" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	2-56 x 0.4380" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	2-56 x 1/2" 6 - Lobe T-7 Pan MS (2A) 302HQ Stainless DFARS Compliant
38000	2-56 x 1/2" Unslotted Indented Hex Washer MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
6000	2-56 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
16000	2-56 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
7000	2-56 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
25000	2-56 x 1/2" 6 - Lobe 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
5000	2-56 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	2-56 x 1/2" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	2-56 x 1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	2-56 x 0.5620" Phillips 99/101° Flat MS (2A) Brass Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 C (Misc.)
1000	2-56 x 0.5620" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type Element per NAS1283
1000	2-56 x 0.5620" Saw Slotted 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type Element per NAS1283
39000	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE AMS2700-F Method 1 Type 6 Class 4
3000	2-56 x 9/16" Phillips Bind Sems Blank 302HQ Stainless DFARS Compliant
2000	2-56 x 9/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
11000	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	2-56 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified

Qty	Description
6000	2-56 x .594" .586 Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
34000	2-56 x 5/8" Unslotted Indented Hex Washer MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
1000	2-56 x 5/8" Saw Slotted Fillister MS (2A) Brass
21000	2-56 x 5/8" Socket Button Head Cap Screw MS 3A 302 Stainless Steel
1000	2-56 x 5/8" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
10000	2-56 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
34000	2-56 x 5/8" Unslotted Indented Hex Washer MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
5000	2-56 x 5/8" -.005/+.015 Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
6000	2-56 x 5/8" Slotted Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
15000	2-56 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
6000	2-56 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
16000	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	2-56 x 3/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	2-56 x 3/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	2-56 x 0.8120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
9000	2-56 x 1" Saw Slotted Fillister MS (2A) Steel 1022 Black Oxide Oil Finish
8000	2-56 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
5000	2-56 x 1-1/8" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	2-56 x 1-3/16" Phillips Pan MS (2A) Steel 1022 Zinc Trivalent Chromate per ASTM B633, Fe/Zn 8 Type III SC2 .0002-.0004 thick
25000	2-56 x 1-1/2" Phillips 99/101° Flat MS (2A) Brass
4000	2-56 x 1-1/2" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant

2-64

2000	2-64 x 3/32" +.000/-.005 Saw Slotted Flat Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
8000	2-64 x 1/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
6000	2-64 x 1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
14000	2-64 x 5/32" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant

Qty**Description**

6000	2-64 x 3/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
7000	2-64 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
1000	2-64 x 3/16" Saw Slotted Fillister MS (2A) Brass Black Oxide On Brass MIL-F-495E
4000	2-64 x 0.2030"-0.172" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
6000	2-64 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	2-64 x 1/4" Saw Slotted Fillister MS (2A) Steel 1022 Cad Yellow
2000	2-64 x 9/32" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
5000	2-64 x 0.3060" +/-0.010 Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
11000	2-64 x .323 +/-0.005 Saw Slotted Bind special MS (2A) Partial Threaded A-8740 Alloy Steel DFARS Heat Treat RC 40-44Black Oxide
2000	2-64 x 7/8" Saw Slotted Bind MS (2A) Brass

2-8

9000	2-8 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant
4000	2-8 x 1/8" Conventional Round Type U 316L Stainless Steel
4000	2-8 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant
20000	2-8 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
26000	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C
6000	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
12000	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
5000	2-8 x 0.1880" Conventional Round Type U Stainless Steel 410 DFAR Brite Hardened Passivated AMS QQ-P-35 Type VI
4000	2-8 x 0.1880" Conventional Round Type U 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)
9000	2-8 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
4000	2-8 x 1/4" Conventional Round Type U 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	2-8 x 1/4" Conventional Round Type U 302HQ Stainless DFARS Compliant (Misc.)
4000	2-8 x 7/16" Conventional Round Type U Steel 1022 Heat Treat

3-24

Qty	Description
16000	3-24 x 0.3120" Phillips Pan Plastic 60°-1 (PTRS) Stainless Steel 410 Brite Hardened Zinc/Bake & Yellow .0002
12000	3-24 x 0.3120" Phillips Pan Plastic 60°-1 (PTRS) Stainless Steel 410 Brite Hardened Zinc/Bake & Yellow .0002
71000	3-24 x 1/2" Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Black Oxide
<hr/>	
3-28	
4000	3-28 x 3/16" Saw Slotted Oval U/C Type B 302HQ Stainless DFARS Compliant
3000	3-28 x 0.4380" 6 - Lobe Pan High-Low Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0002-.00025
3000	3-28 x 9/16" Phillips Pan Type AB 302HQ Stainless DFARS Compliant
8000	3-28 x 3/4" Phillips 80/82° Flat Type AB 302HQ Stainless DFARS Compliant
<hr/>	
3-48	
3000	3-48 x 1/8" Slotted Pan MS (2A) Brass
8000	3-48 x 0.1560" Unslotted Indented Hex Washer TRS Stainless Steel 410 Brite Hardened Zinc & Bake Trivalent Clear Chromate
11000	3-48 x 3/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
1000	3-48 x 3/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
152000	3-48 x 0.197/0.182" Saw Slotted Flat Fillister 2A w/Dog Point** 302HQ Stainless DFARS Compliant Passivated Air Dried
2000	3-48 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
4000	3-48 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
17000	3-48 x 0.2600"+/-008 OVERALL LENGTH No Drive Flat Fillister MS With Header Point Stainless Steel 410
21000	3-48 x 5/16" Phillips 80/82° Flat M/S (2A) Stainless Steel 410 Brite Hardened RA 69-73
2000	3-48 x 3/8" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Black Oxide
14000	3-48 x 3/8" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	3-48 x 7/16" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
8000	3-48 x 1/2" Combo Phil Slot Pan Partial Thread and Unthreaded MS (2A) MS (2A) Point diam .078-.088 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
2000	3-48 x 3/4" Phillips Round Captive 302HQ Stainless DFARS Compliant Passivated Air Dried
2000	3-48 x 0.7970" +/-015 Phillips Round MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

<i>Qty</i>	<i>Description</i>
3-56	
49000	3-56 x 1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
3000	3-56 x 3/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
3000	3-56 x 3/16" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
3000	3-56 x 3/16" Slotted Pan MS (2A) Brass
1000	3-56 x 11/16" Unslotted Unindented Hex MS (2A) Brass
4-14	
11000	4-14 x 3/8" Phillips Pan NPLT 30 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
1000	4-14 x 0.6880" Phillips Pan NPLT 30 Steel 1022 Heat Treat Zinc Black Trivalent w/ Bake
4-20	
4000	4-20 x 1/4" 6 - Lobe 80/82° Flat PTRS 60-1 302HQ Stainless DFARS Compliant
12000	4-20 x *0.265/ 0.250 6 - Lobe 80/82° Flat 48°-2 PTRS 302HQ Stainless DFARS Compliant
20000	4-20 x *0.265/ 0.250 6 - Lobe 80/82° Flat 48°-2 PTRS 302HQ Stainless DFARS Compliant
43000	4-20 x 5/16" 6 - Lobe Pan PTRS 60-1 18-8 Stainless Steel
12000	4-20 x 5/16" Phillips Pan PTRS 60-1 302HQ Stainless DFARS Compliant
6000	4-20 x 3/8" 6 - Lobe Pan PTRS 48-2 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
4000	4-20 x 1/2" 6 - Lobe Pan PTRS 48-2 302 HQ Stainless Steel Passivated Air Dried Wax
2000	4-20 x 1/2" Phillips 80/82° Flat PTRS 60-1 302HQ Stainless DFARS Compliant
4-24	
3000	4-24 x 3/16" Phillips U/C 80/82° Flat Type B Steel Heat Treat Black Oxide
3000	4-24 x 3/16" Phillips Pan Type B Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C
3000	4-24 x 1/4" Phillips 80/82° Flat Type B Stainless Steel 410 Brite Hardened
5000	4-24 x 1/4" +/- .015 Phillips 82/80° Flat U/C Type AB 302HQ Stainless DFARS Compliant
2000	4-24 x 1/4" Phillips 99/101° Flat Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
6000	4-24 x 1/4" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E
5000	4-24 x 0.3120" 6 - Lobe Pan High-Low Stainless Steel 410 DFAR Brite Hardened
3000	4-24 x 5/16" Phillips 82/80° Flat U/C Type B 302HQ Stainless DFARS Compliant Burnished Passivated Air Dried
3000	4-24 x 5/16" Phillips 80/82° Flat Type 25 Shank Slot Stainless Steel 410 Brite Hardened
3000	4-24 x 3/8" Phillips 99/101° Flat Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

Qty	Description
5000	4-24 x 3/8" 6 - Lobe T8 Pan WITH A PARTIALTHREAD LENGTH OF .315 +/- .010 Type 25 Shank Slot Brass
4000	4-24 x 3/8" Phillips 99/101° Flat Type BF Steel 1022 Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416D
6000	4-24 x 3/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
95000	4-24 x 7/16" Phillips Pan High-Low Shank Slotted Steel 1022 Heat Treat Black Zinc Bake Trivalent
108000	4-24 x 1/2" 6 - Lobe Pan Type AB Steel 1022 Heat Treat Plain
88000	4-24 x 1/2" +.000/-.030 1A Special Concaved Radius 80/82° Flat Type AB Stainless Steel 410 Brite Hardened Nickel Flash & Bake 410 S.S.
2000	4-24 x 3/4" Slotted Round Type AB 316 Stainless Steel
1000	4-24 x 1" Slotted Round Type AB 316 Stainless Steel
<hr/>	
4-36	
5000	4-36 x 7/16" Slotted Pan MS (2A) Brass Plain
<hr/>	
4-40	
2000	4-40 x 0.0820" +/- .010 6 - Lobe T8 Slot Combo Pan MS 2A After Plate Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
7000	4-40 x 0.0930" +/- .005 6 - Lobe T-6 Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
3000	4-40 x 3/32" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
4000	4-40 x 1/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
18000	4-40 x 1/8" +/- .010 Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
5000	4-40 x 1/8" Phillips Pan TRS Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
42000	4-40 x 5/32" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant Patch
12000	4-40 x 5/32" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant Patch
1000	4-40 x 0.1870" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	4-40 x 0.1870" Unslotted Indented Hex MS (2A) A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Passivate ASTM A380 code F
100000	4-40 x 0.1870" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	4-40 x 3/16" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 DFAR COMPLIANT
7000	4-40 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4

Qty	Description
5000	4-40 x 3/16" Saw Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried
5000	4-40 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
4000	4-40 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
13000	4-40 x 0.1880" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Button Type per NAS1283 torque per MIL-DTL-18240
12000	4-40 x 0.1880" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
46000	4-40 x 0.1880" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	4-40 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	4-40 x 0.1900" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
6000	4-40 x 0.2100" +/-0.005 Slotted Bind Special MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	4-40 x 7/32" Socket Flat Head Cap Screw MS 3A Stainless Steel 410 DFAR Brite Hardened Passivate SAE-AMS2700F Method 1, Type 2 Class 4
5000	4-40 x 0.2190" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
445000	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	4-40 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
22000	4-40 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
3000	4-40 x 1/4" Phillips Pan MS (2A) Brass Nickel Plating per AMS-QQ-N-290, Grade G (.0002) Class 1 Bright
22000	4-40 x 1/4" Phillips Pan MS (2A) Stainless Steel 410
9000	4-40 x 1/4" Phillips Pan MS (2A) Stainless Steel 410 Brite Hardened
2000	4-40 x 1/4" Phillips Pan MS (2A) Brass
4000	4-40 x 1/4" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
23000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
24000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 1/4" Phillips U/C 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
6000	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4

Qty	Description
16000	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	4-40 x 1/4" Phillips 80/82° Flat MS (2A) 316L Stainless Steel DFAR
16000	4-40 x 1/4+0/-0.020 Phillips Fillister Captive Thread (2A) 302 Stainless Steel Passivated AMS QQP-35
4000	4-40 x 1/4" 6-Lobe Tamper Proof Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
5000	4-40 x 1/4" Phillips 99/101° Flat TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
8000	4-40 x 1/4" 1A 99/101° Flat MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
2000	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
8000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	4-40 x 1/4" +/-0.015 Phillips Pan MS (2A) Stainless Steel 410 Patch
2000	4-40 x 1/4" 6 - Lobe 99/101° Flat TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
4000	4-40 x 1/4" Mortorq ® Flat Head Cap Screw MS 3A 4037 Alloy Steel Heat Treat RC 39-42 ASTM F835 Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B
22000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 Locking Element - Strip Type per NAS1283 torque per MIL-DTL-18240
10000	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
10000	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
500000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	4-40 x 1/4" Offset Cruciform 99/101° Flat (w/Head Marking) UNJC-3A Fully Threaded A286 Alloy DFAR A-286 Heat Treat AMS5737 Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Passivate SAE-AMS2700E Method 1 Type 2 Class 1
2000	4-40 x 1/4" +/-0.005 Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type II (Misc.)
10000	4-40 x 1/4" Phillips Oval #2 Head MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
4000	4-40 x 1/4" Saw Slotted Round MS (2A) Brass
18000	4-40 x 0.2600" +0/-0.010" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
1000	4-40 x 0.2810" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated AMS 2700 Nadcap Certified Passivation
8000	4-40 x 0.3100" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)
2000	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
45000	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	4-40 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
4000	4-40 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	4-40 x 0.3120" Phillips Pan MS (2A) Brass Nickel Plating per AMS-QQ-N-290, Grade G (.0002) Class 1
2000	4-40 x 0.3120" Phillips Pan MS 2A After Plate Steel 1022 Black Zinc Trivalent Chromate .0002-.0004 Thick
43000	4-40 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
20000	4-40 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	4-40 x 0.3120" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	4-40 x 0.3120" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-40 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	4-40 x 5/16" Saw Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Burnished
18000	4-40 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
237000	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
137000	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
11000	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
3000	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
12000	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
15000	4-40 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	4-40 x 5/16" Socket Button Head Cap MS 2A 302HQ Stainless DFARS Compliant Black Zinc on S.S. Trivalent Patch Blue per MIL-DTL-18240
2000	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
16000	4-40 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
56000	4-40 x 3/8" 6-Lobe Tamper Proof Pan MS (2A) 302HQ Stainless DFARS Compliant
5000	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	4-40 x 3/8" Phillips Pan MS (2A) Brass Nickel Plating per AMS-QQ-N-290, Grade G (.0002) Class 1
2000	4-40 x 3/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate To Mil-F-14072-E300
2000	4-40 x 3/8" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1
6000	4-40 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C

Qty	Description
1000	4-40 x 3/8" Phillips 99/101° Flat MS (2A) Brass Plain
2000	4-40 x 3/8" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 3/8" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
1000	4-40 x 3/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
54000	4-40 x 3/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
26000	4-40 x 3/8" Phillips Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	4-40 x 3/8" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
99000	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
25000	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
14000	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
127000	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
33000	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	4-40 x 3/8" 6 - Lobe 99/101° Flat TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0002-.00035. 96 Hours Salt Spray Test required
3000	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch
1000	4-40 x 3/8" Phillips Pan Captive with chamfer 302HQ Stainless DFARS Compliant Plain (Misc.)
1000	4-40 x 3/8" Phillips 80/82° Flat M/S 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 4
11000	4-40 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	4-40 x 3/8" Combo Phil Slot Pan MS (2A) Brass
2000	4-40 x 3/8" Saw Slotted Fillister MS (2A) Brass
3000	4-40 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
22000	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
52000	4-40 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-40 x 0.3800" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
3000	4-40 x 0.4080" +/- .010 6 - Lobe Slot Combo Pan MS (2A) 4037 Alloy Steel Heat Treat Black Oxide Microsphere 593-S
100000	4-40 x 0.4370" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

Qty	Description
3000	4-40 x 7/16" Phillips 99/101° Flat MS (2A) Brass Plain
10000	4-40 x 7/16" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
8000	4-40 x 7/16" Phillips 99/101° Flat Captive 302 Stainless Steel Passivated AMS QQP-35 Vibratite
3000	4-40 x 7/16" Phillips 99/101° Flat Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Vibratite
105000	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified
9000	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
3000	4-40 x 7/16" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)
4000	4-40 x 7/16" Saw Slotted Oval MS (2A) 302HQ Stainless DFARS Compliant
2000	4-40 x 0.4380" +/-0.015 Phillips Pan MS (2A) Steel 1022 Zinc W/Black Chromate
3000	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
12000	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
5000	4-40 x 0.4380" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	4-40 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	4-40 x 1/2" Phillips Pan TRS 302HQ Stainless DFARS Compliant Passivated Air Dried Wax lubricant
4000	4-40 x 1/2" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
8000	4-40 x 1/2" Phillips Pan Captive 302 HQ Stainless Steel Passivated AMS QQP-35 Vibratite
1000	4-40 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4
1000	4-40 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D Locking Element - Nylon Patch Type per Mil-F-18240
3000	4-40 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Vibratite
20000	4-40 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-40 x 1/2" Saw Slotted Fillister MS (2A) Brass
3000	4-40 x 1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-40 x 1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	4-40 x 1/2" +/-0.005 6 - Lobe Truss MS (2A) Steel 1022 Bright Zinc Trivalent Chromate Microsphere 593-S Blue
3000	4-40 x 1/2" +/-0.005 Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type II
29000	4-40 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

Qty	Description
5000	4-40 x 9/16" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
1000	4-40 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Plain
5000	4-40 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
3000	4-40 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	4-40 x 5/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1, Type 2 Class 4
2000	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
21000	4-40 x 5/8" Offset Cruciform 99/101° Flat (w/Head Marking) UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Heat Treated per AMS-H-6875/AMS2759; HRc 36-40; Ultimate Tensile Strength 160,000psi-180,000psi
2000	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 11/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	4-40 x 11/16" 6 - Lobe Pan MS (2A) 302HQ Stainless DFARS Compliant
14000	4-40 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
23000	4-40 x 3/4" +/- .015 Phillips Fillister Captive (3/8 Thread Length) 302 Stainless Steel
5000	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
10000	4-40 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Requires secondaries, allow 10 weeks min. for delivery.
7000	4-40 x 3/4" Saw Slotted Fillister M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
6000	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
4000	4-40 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch
2000	4-40 x 3/4" +/- .005 Phillips Pan Captive with Chamfer 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type II
2000	4-40 x 3/4" Socket Flat Head Cap Screw MS 3A A-8740 Alloy Steel DFARS Heat Treated per AMS-H-6875/AMS2759/1; HRc 39-45; Ultimate Tensile 180ksi-220ksi Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C Patch MIL-F-18240
15000	4-40 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 3/4" ACR® Phillips II 80/82° Flat MS (2A) Steel 1022 Brite Zinc & Clear .0002-.0003 Less Chromate
6000	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	4-40 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

<i>Qty</i>	<i>Description</i>
1000	4-40 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	4-40 x 0.8800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	4-40 x 0.9350" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivated Air Dried (Misc.)
27000	4-40 x 1" Saw Slotted Fillister MS (2A) Brass
2000	4-40 x 1" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
3000	4-40 x 1" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
4000	4-40 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	4-40 x 1-1/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)
2000	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
1000	4-40 x 1-1/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate To Mil-F-14072-E300
3000	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
5000	4-40 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
9000	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	4-40 x 1.3130" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element
6000	4-40 x 1-1/2" Phillips Pan MS (2A) Brass
2000	4-40 x 1-1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	4-40 x 1-1/2" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E (Misc.)
2000	4-40 x 1-3/4" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
1000	4-40 x 2" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E

4-48

5000	4-48 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	4-48 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
4000	4-48 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D

Qty	Description
3000	4-48 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	4-48 x 1-1/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4-7	
6000	4-7 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B
7000	4-7 x 0.1450/.0.135 Conventional Round Type U Steel 1022 Heat Treat Zinc / Red & Bake Type 1 Class 3
9000	4-7 x 5/32+/-0.005 Conventional Round Type U Steel 1022 Heat Treat
3000	4-7 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Zinc plate and Bake per ASTM B633, Fe/Zn 13, SC3, Type I (.0005" min)
5-40	
9000	5-40 x 3/16" +/- .005 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
3000	5-40 x 0.2590" +/- 0.005 OVERALL LENGTH No Drive FLAT Fillister MS With Header Point Stainless Steel 410 Passivated Air Dried
2000	5-40 x 15mm Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6-11	
2000	6-11 x 1/2" +/- .047" Phillips Pan NPLT 30 Steel 1022 Heat Treat Brite Zinc Cromate and bake .0002-.00025
6-19	
4000	6-19 x 1/4" Phillips Pan PTRS 60-1 302 HQ Stainless Steel
3000	6-19 x 3/8" Phillips Pan PTRS 48-2 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6-20	
4000	6-20 x 5/16" Phillips Truss Type BF 302HQ Stainless DFARS Compliant
50000	6-20 x 3/8" Square Pan Type 25 Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
11000	6-20 x 3/8" Phillips 80/82° Flat Type B 302HQ Stainless DFARS Compliant
3000	6-20 x 3/8" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4
29000	6-20 x 1/2" Phillips 99/101° Flat Type AB 302HQ Stainless DFARS Compliant
6000	6-20 x 1/2" Phillips Pan Type BT Steel 1022 Heat Treat Zinc Yellow and Bake per ASTM B633, Fe/Zn 5 Type II SC1
4000	6-20 x 1/2" Phillips 99/101° Flat Type B Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416D
6000	6-20 x 5/8" Phillips 80/82° Flat Type AB Stainless Steel 410 DFAR Brite Hardened Passivate SAE-AMS2700E Method 1, Type 2 Class 4

Qty	Description
5000	6-20 x 5/8" Phillips 80/82° Flat Type AB Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700E Method 1, Type 2 Class 4
8000	6-20 x 3/4" Phillips #4 Head 80/82° Flat Type AB 302HQ Stainless DFARS Compliant

6-32

5000	6-32 x 1/8" Mortorq ® Super Pan MS (2A) 302 Stainless DFARS Compliant
2000	6-32 x 1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
42000	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
11000	6-32 x 3/16" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant
32000	6-32 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
6000	6-32 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
3000	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
33000	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
3000	6-32 x 0.1870" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
3000	6-32 x 0.1880" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated AMS QQP-35
1000	6-32 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	6-32 x 7/32" Phillips SPECIAL #1 Drive 120° Flat MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
24000	6-32 x 1/4" Phillips Pan MS (2A) 302 Stainless Steel
12000	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
	Blanks, must be drilled
11000	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05
4000	6-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
14000	6-32 x 1/4" 6 - Lobe Pan MS (2A) 302 Stainless Steel
51000	6-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	6-32 x 1/4" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2 Nitric 2
15000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
5000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified

<i>Qty</i>	<i>Description</i>
27000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
20000	6-32 x 1/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
10000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
5000	6-32 x 1/4" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 Locking Element - Nylon Patch Type per NAS1283 torque per MIL-DTL-18240
11000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
2000	6-32 x 1/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
4000	6-32 x 1/4" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
3000	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
9000	6-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	6-32 x 0.2800" +/-0.010 Combo Phil Slot Pan MS (2A) 302HQ Stainless DFARS Compliant
4000	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
44000	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	6-32 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	6-32 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	6-32 x 0.3120" Phillips 99/101° Flat (w/Head Marking) UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759; Hrc 36-40; UI Passivate SAE-AMS2700E Method 1, Type 2 Class 4 Patch (Misc.)
26000	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
20000	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	6-32 x 5/16" 6 - Lobe Pan TRS 302 Stainless DFARS Compliant
4000	6-32 x 5/16" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Patch
11000	6-32 x 5/16" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-(Misc)
3000	6-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C

<i>Qty</i>	<i>Description</i>
1000	6-32 x 5/16" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-32 x 5/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
30000	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
17000	6-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
7000	6-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 5/16" Phillips 80/82° Flat M/S (2A) 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	6-32 x 5/16" 6 - Lobe Pan MS (2A) 316L Stainless Steel DFAR Black Oxide Mil-DTL-13924E CL 4
3000	6-32 x 0.3130" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
21000	6-32 x 3/8" Phillips Special (Hd .293/.282) (U'C dia. .238/.228 depth .034/.028) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35
1000	6-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	6-32 x 3/8" 6-Lobe Tamper Proof 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
18000	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	6-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1, Type 2 Class 4
3000	6-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
8000	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Zinc & Bake Trivalent Chromate Bright .Patch Type P per MIL-DTL- 18240
1000	6-32 x 3/8" Phillips Pan (6 Dots) MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F Locking Element - Nylon Patch Type
10000	6-32 x 3/8" 6 - Lobe Pan TRS Steel 1022 Heat Treat Tin Plate Over Copper Flash .0002 min
3000	6-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
9000	6-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	6-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
9000	6-32 x 3/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)
6000	6-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	6-32 x 0.3800" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4

Qty	Description
6000	6-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
7000	6-32 x 0.4020"/0.3940" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
21000	6-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
8000	6-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	6-32 x 7/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	6-32 x 7/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
30000	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	6-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	6-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	6-32 x 0.4380" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1, Type 2 Class 4
6000	6-32 x 0.4380" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	6-32 x 0.4380" Phillips Pan M/S Partial Thread 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
99000	6-32 x 0.4400" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 0.4800" +/-0.005 OVERALL LENGTH No Drive FLAT Fillister MS With Header Point Stainless Steel 410 Passivated Air Dried
2000	6-32 x 1/2" 6 - Lobe (U'C dia. .238/.228 depth .034/.028) Pan MS (2A) 302HQ Stainless DFARS Compliant
4000	6-32 x 1/2" Phillips Fillister Captive 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
8000	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	6-32 x 1/2" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	6-32 x 1/2" Phillips Pan MS 3A 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
6000	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B

Qty	Description
4000	6-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II
6000	6-32 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant
2000	6-32 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	6-32 x 1/2" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)
4000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant AMS2700 Method 1 Type 8 Class 4
2000	6-32 x 1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	6-32 x 1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	6-32 x 1/2" Phillips Pan MS (2A) Brass Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	6-32 x 0.5620" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
8000	6-32 x 0.5620" Phillips 99/101° Flat MS (2A) Steel 1022 Zinc & Bake Trivalent Chromate Bright Patch Type P per MIL-DTL-18240
51000	6-32 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	6-32 x 0.5620" Phillips Fillister Captive Steel 1022 Nickel Plating per AMS-QQ-N-290, Grade G (.0002) Class 1 Single layer fully bright (Misc.)
119000	6-32 x 0.5620" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
27000	6-32 x 9/16" Phillips Pan Special MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified
2000	6-32 x 9/16" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant
2000	6-32 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	6-32 x 0.5630" Phillips Pan Special Captive {+.005/-0} 302HQ Stainless DFARS Compliant
2000	6-32 x 0.5630" Phillips Pan Special Captive {+.005/-0} 302HQ Stainless DFARS Compliant
5000	6-32 x 0.5630" Phillips Pan Special Captive {+.005/-0} 302HQ Stainless DFARS Compliant

Qty	Description
9000	6-32 x 0.5800" +/- .010 Phillips Pan Captive length .150-.170 with chanfer 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	6-32 x 0.6200" Phillips Pan Captive 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 Lusterless, color #37038 per FED-STD-595
9000	6-32 x 5/8" Saw Slotted Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-01
2000	6-32 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)
3000	6-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
2000	6-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-32 x 5/8" Phillips Pan Captive with chamfer 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 2 Class 1
7000	6-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	6-32 x 5/8" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
4000	6-32 x 15.88mm Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4 (Misc.)
10000	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	6-32 x 3/4" Saw Slotted Fillister MS (2A) Brass
35000	6-32 x 3/4" Phillips Pan Captive 302 HQ Stainless Steel Black Oxide Mil-DTL-13924 CL 4
2000	6-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate To Mil-F-14072-E300
11000	6-32 x 3/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
2000	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
14000	6-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
10000	6-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
10000	6-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
4000	6-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	6-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	6-32 x 3/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
27000	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	6-32 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
1000	6-32 x 7/8" Phillips Pan MS (2A) Steel 1022 Zinc Yellow Trivalent Chromate per ASTM B633, Fe/Zn 5 Type II, SC1
5000	6-32 x 7/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
12000	6-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
1000	6-32 x 7/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	6-32 x 7/8" Phillips Pan MS (2A) Captive 302HQ Stainless DFARS Compliant Passivate MIL-F-14072 E300
1000	6-32 x 1" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	6-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	6-32 x 1-1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
3000	6-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	6-32 x 1-1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	6-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	6-32 x 1-1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate To Mil-F-14072-E300
4000	6-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
2000	6-32 x 1-1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
20000	6-32 x 1-1/2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	6-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	6-32 x 1.6700" +/- .020 Phillips Pan Fully Threaded MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	6-32 x 1.6700" +/- .020 Phillips Pan Fully Threaded MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
1000	6-32 x 1-3/4" Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	6-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4

<i>Qty</i>	<i>Description</i>
1000	6-32 x 1-7/8" Saw Slotted Fillister M/S Partial Thread Steel 1022 Bright Zinc Trivalent Chromate .0002-.0003 (Misc.)
3000	6-32 x 2" Phillips Pan M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
13000	6-32 x 2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
1000	6-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
<hr/>	
6-40	
22000	6-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
21000	6-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
3000	6-40 x 3/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	6-40 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
6000	6-40 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	6-40 x 1" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
1000	6-40 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	6-40 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
<hr/>	
6-48	
4000	6-48 x 3/16" Saw Slotted Oval U/C MS (2A) 4037 Alloy Steel Heat Treatment 4037 Alloy Black Oxide
<hr/>	
6-7	
4000	6-7 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416E
<hr/>	
8-18	
3000	8-18 x 3/8" Phillips Truss Type B 302HQ Stainless DFARS Compliant
2000	8-18 x 3/8" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416E
50000	8-18 x 1/2" Saw Slotted Indented Hex Type AB 302 Stainless Steel
4000	8-18 x 1/2" Phillips Truss Type B Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
2000	8-18 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4
5000	8-18 x 1/2" Phillips Round Type B Steel 1022 Heat Treat Cadmium Plate and Baked Type 1 Class 3 AMS-QQ-P-416C

Qty	Description
2000	8-18 x 1/2" Phillips Truss W/ Serrations Type 17 (AB) Shank Slot Stainless Steel 410 DFAR Brite Hardened
1000	8-18 x 3/4" Slotted Round Type AB Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416E
8000	8-18 x 3/4" Phillips Pan Type AB Stainless Steel 410 DFAR Brite Hardened - Military/Aerospace Passivate SAE-AMS2700E Method 1, Type 2 Class 4

8-32

5000	8-32 x 3/16" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant
6000	8-32 x 3/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	8-32 x 0.1880" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	8-32 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
24000	8-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
67000	8-32 x 1/4" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)
3000	8-32 x 1/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
5000	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
4000	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	8-32 x 1/4" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
2000	8-32 x 1/4" Phillips 82/80° Flat U/C W/Nibs Thread Rolling (TRS) Steel 1022 Heat Treat Zinc Bake Trivalent W/Wax lubricant
1000	8-32 x 1/4" Saw Slotted 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
8000	8-32 x 1/4" Phillips Pan Hd. (w/Head Marking) UNJC-3A Fully Threaded A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Passivate SAE-AMS2700E Method 1, Type 2 Class 4 W/Locking Element
10000	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
20000	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
4000	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
10000	8-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	8-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified

Qty	Description
2000	8-32 x 1/4" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	8-32 x 1/4" Combo Phil Slot Bind U/C MS (2A) Brass Tin Bright Finish
3000	8-32 x 0.2600"+/-0.005 Combo Phil Slot Special Round #4 Head MS 2A After Plate Steel 1022 Heat Treat RC 55-60Zinc & Bake Trivalent Chromate .0002-.00025 .0003 max Clear
21000	8-32 x 0.3100" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
17000	8-32 x 0.3120" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	8-32 x .312 Phillips Fillister M/S (2) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
9000	8-32 x 5/16" 6 - Lobe Button MS (2A) UNRC ES Tri-Point 302HQ Stainless DFARS Compliant Passivated Air Dried Wax lubricant
7000	8-32 x 0.3120" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)
21000	8-32 x 0.3120" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416E (Misc.)
3000	8-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	8-32 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	8-32 x 0.3120" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
25000	8-32 x 0.3120" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
21000	8-32 x 5/16" Phillips Pan M/S (2A) Steel Cad QQ-P-416,Type11,Class 3 (Misc)
CAD PLATED	
3000	8-32 x 5/16" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
5000	8-32 x 5/16" Phillips Pan MS (2A) 316 Stainless Steel Passivated ASTM A967-05
6000	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
2000	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
5000	8-32 x 5/16" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant
1000	8-32 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
11000	8-32 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified
10000	8-32 x 0.3120" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
16000	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
9000	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
23000	8-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
53000	8-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Brite Zinc & Clear ZINC / CLEAR
5000	8-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	8-32 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 3/8" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
3000	8-32 x 3/8" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
1000	8-32 x 3/8" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
3000	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
6000	8-32 x 3/8" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 3/8" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
2000	8-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
4000	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	8-32 x 3/8" Phillips Truss, Full Contour w/ Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
21000	8-32 x 3/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC; SAE AMS-H-6875/AMS2759 Cadmium Plate Type 1 Class 2 AMS-QQ-P-416C
7000	8-32 x 3/8" Phillips Full Contour Truss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
3000	8-32 x 3/8" Phillips 80/82° Flat Special M/S (2A) 316L Stainless Steel DFAR Passivate SAE-AMS2700E Method 1 Type 6 Class 1
4000	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
9000	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
23000	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	8-32 x 3/8" 6 - Lobe Pan Type 23 Shank Slot 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
5000	8-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	8-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
26000	8-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
119000	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05

<i>Qty</i>	<i>Description</i>
10000	8-32 x 7/16" ACR ® Phillips Round MS (2A) 302 Stainless DFARS Compliant
1000	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
5000	8-32 x 7/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide DRY TO TOUCH
6000	8-32 x 0.4370" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
1000	8-32 x 0.4370" Phillips Flat 100° Marked With One Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	8-32 x 0.4370" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
1000	8-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 0.4380" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
33000	8-32 x 0.4400" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	8-32 x 1/2" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
5000	8-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
8000	8-32 x 1/2" Phillips Special Pan With U/C Dia..284 max depth .033 MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
12000	8-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	8-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	8-32 x 1/2" Socket Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
70000	8-32 x 1/2" Phillips 99/101° Flat M/S 302 Stainless Steel Passivated ASTM A967-05
2000	8-32 x 1/2" Saw Slotted Indented Hex MS (2A) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
3000	8-32 x 1/2" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
20000	8-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	8-32 x 1/2" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
53000	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
7000	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4

<i>Qty</i>	<i>Description</i>
4000	8-32 x 0.5280" 6 - Lobe T-15 Button MS With Header Point 302 HQ Stainless Steel Passivated Air Dried
2000	8-32 x 9/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 9/16" Phillips Truss, Full Contour w/ Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
14000	8-32 x 0.6200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	8-32 x 0.6200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
17000	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
7000	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
6000	8-32 x 5/8" Saw Slotted Round MS (2A) Brass (Misc.)
2000	8-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B
17000	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 B
12000	8-32 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
8000	8-32 x 5/8" Phillips Pan M/S (2A) Brass Black On Brass MIL-F-495
3000	8-32 x 5/8" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
1000	8-32 x 5/8" Phillips Pan Captive 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4 (Misc.)
5000	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
3000	8-32 x 5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	8-32 x 5/8" Slotted Round MS (2A) Brass (Misc.)
4000	8-32 x .640-.610 Saw Slotted Special Fillister M/S Partial Thread 302HQ Stainless DFARS Compliant Plain
2000	8-32 x 3/4" Saw Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
5000	8-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	8-32 x 3/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	8-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 4 Dual Certified
1000	8-32 x 3/4" Phillips Pan MS (2A) Brass
28000	8-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E

Qty	Description
2000	8-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	8-32 x 3/4" Phillips Round MS (2A) 302 Stainless DFARS Compliant
21000	8-32 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
2000	8-32 x 3/4" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E
1000	8-32 x 3/4" Phillips 99/101° Flat W/Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	8-32 x 3/4" Phillips 99/101° Flat W/Dash M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	8-32 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
4000	8-32 x 3/4" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	8-32 x 20mm Phillips Pan (Less Captivate) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Plain
1000	8-32 x 0.8120" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant (Misc.)
2000	8-32 x 7/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	8-32 x 7/8" Saw Slotted Fillister MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
1000	8-32 x 7/8" Slotted Round MS (2A) 302HQ Stainless DFARS Compliant
3000	8-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
1000	8-32 x 7/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D Locking Element - Nylon Patch Type per Mil-F-18240
2000	8-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
2000	8-32 x 7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924E CL 4
2000	8-32 x 7/8" Saw Slotted Drilled Fillister 2 Hole Cross Drill MS (2A) Special 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
8000	8-32 x 7/8" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
3000	8-32 x 7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416D
6000	8-32 x 7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	8-32 x 0.9100" Phillips Pan Captive Steel 1022 Bright Zinc Trivalent Chromate
2000	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
9000	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
62000	8-32 x 1" Phillips Pan MS (2A) Steel 1022 Plain
1000	8-32 x 1" Phillips Round MS (2A) Brass Non Magnetic

Qty	Description
21000	8-32 x 1" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless Steel Passivated ASTM A967-01
6000	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.) Requires secondaries, allow 10 week min. for delivery
1000	8-32 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
1000	8-32 x 1" Slotted Pan MS (2A) with Unthreaded 60 Deg. Gimlet Point 302HQ Stainless DFARS Compliant
3000	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	8-32 x 1-1/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	8-32 x 1-1/8" Slotted Pan MS (2A) Steel 1022
1000	8-32 x 1-1/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	8-32 x 1-1/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
5000	8-32 x 1-1/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	8-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	8-32 x 1-1/4" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	8-32 x 1-1/4" Phillips Full ContourTruss M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416E
1000	8-32 x 1-1/2" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
2000	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
7000	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	8-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
1000	8-32 x 1-1/2" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
1000	8-32 x 1-1/2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
2000	8-32 x 1-1/2" Phillips Pan MS (2A) Brass Black Oxide On Brass MIL-F-495E
1000	8-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
6000	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05

Qty	Description
5000	8-32 x 1-7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
1000	8-32 x 2" Slotted Round MS (2A) Brass
4000	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
2000	8-32 x 2" Phillips Pan MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4
2000	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
3000	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05

8-36

2000	8-36 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	8-36 x 0.2600"+0/-.020" Saw Slotted 80/82° Flat (#6 Head) MS (2A) 302 HQ Stainless Steel
6000	8-36 x 0.4370" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
3000	8-36 x 3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416E
5000	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
2000	8-36 x 7/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1
1000	8-36 x 1-3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 1

8-40

18000	8-40 x 1/4" +/-0.005" 6 - Lobe T-8 82/80° Flat MS (2A) Stainless Steel 410 Brite Hardened RC 28-32
2000	8-40 x 0.2700"+/-0.010 Saw Slotted 80/82° Flat Special MS (2A) 4037 Alloy Steel Heat Treatment 4037 Alloy RC 33-37 .Black Oxide
6000	8-40 x 3/4"+0/-.010SlottedOval #6 HeadMS (2A)302 HQ Stainless SteelPassivated ASTM A967-05

8-8

1000	8-8 x 3/8" Conventional Round Type U Steel 1022 Heat Treat Zinc Yellow and Bake per ASTM B633, Fe/Zn 5 Type II SC1
------	--

M1.2 x .25

1000	M1.2 x .25 x 4mm Saw Slotted Cheese MS (6g) 302HQ Stainless DFARS Compliant
------	---

M1.4 x .3

Qty	Description
13000	M1.4 x .3 x 4mm Saw Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
8000	M1.4 x .3 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
<hr/>	
M1.6 x .35	
28000	M1.6 x .35 x 2.5mm Phillips 90/92° Flat MS (6g) 18-8 Stainless Steel
16000	M1.6 x .35 x 3mm Saw Slotted Cheese MS (6g) 18-8 Stainless Steel
9000	M1.6 x .35 x 3mm Saw Slotted Cheese MS (6g) 302HQ Stainless DFARS Compliant
6000	M1.6 x .35 x 3mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
4000	M1.6 x .35 x 3mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
24000	M1.6 x .35 x 3mm 6 - Lobe Pan TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
8000	M1.6 x .35 x 3mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
6000	M1.6 x .35 x 3mm 6 - Lobe T-5 Special (HD 2.95 +0 -.31mm)(HH 1.12 +0 -.21mm) Pan TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
4000	M1.6 x .35 x 3.5mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
18000	M1.6 x .35 x 3.5mm Special Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Patch per Print
33000	M1.6 x .35 x 4mm Phillips 90/92° Flat MS (6g) 302 Stainless Steel
2000	M1.6 x .35 x 5mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
25000	M1.6 x .35 x 6mm Phillips Pan MS (6G) 18-8 Stainless Steel
1000	M1.6 x .35 x 6mm 6 - Lobe Pan MS (6g) 302 Stainless DFARS Compliant
<hr/>	
M1.6 x .64	
6000	M1.6 x .64 x 5mm 6 - Lobe Pan PTRS 60-1 302HQ Stainless DFARS Compliant Black Oxide
<hr/>	
M1.6x.64	
9000	M1.6x.64 x 3.5mm 6 - Lobe T6 Pan PTRS 48-2 Steel 1022 Heat Treat Zinc Black Trivalent w/ Bake
9000	M1.6x.64 x 7mm 6 - Lobe Pan Special PTRS 48-2 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Wax lubricant
<hr/>	
M1.7 x .35	
22000	M1.7 x .35 x 15.6mm+/-0.005 Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
5000	M1.7 x .35 x 19mm Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
<hr/>	
M1.8 x .8	
3000	M1.8 x .8 x 8mm Phillips HPT Oval 90-92 deg Plastic H-PT 30 degree Steel 1022 Black Oxide
<hr/>	
M1.9 x .79	
5000	M1.9 x .79 x 6mm 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Zinc clear trivalent chromate, Bake, per ASTM F 1941 Fe/Zn 3AT .0001 min.

Qty	Description
3000	M1.9 x .79 x 12mm 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Clear Chromate
M2 x .4	
24000	M2 x .4 x 2mm Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
22000	M2 x .4 x 2mm Phillips Pan M/S (6g) Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
10000	M2 x .4 x 2mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
16000	M2 x .4 x 3mm Phillips WAFER SPECIAL MS (6g) Steel 1022 Heat Treat Case HRc 46 min. .002-.005 Deep .Zinc & Bake Black Trivalent Chromate Dull Luster .0003 -.0005 PER ASTMB633 SC2 (Fe/Zn 8) Type II
1000	M2 x .4 x 3mm Saw Slotted Cheese MS (6g) 316L Stainless Steel DFAR Black Oxide Mil-DTL-13924E CL 4
8000	M2 x .4 x 3mm Phillips JCIS M2.3 Type 1 Recess Wafer Special MS (6g) Steel 1022 Heat Treat HRC 46 .05/.13 Deep Core Hardness 28-38Zinc & Bake Black Trivalent Chromate Dull Luster .0003 -.0005 PER ASTMB633 SC2 (Fe/Zn 8) Type II Black Chromate Dull Luster
16000	M2 x .4 x 3.2mm 6 - Lobe Oval Special Flat Top MS (6g) A-8740 Alloy Steel DFARS H/T to AMS-H-6875; AMS 2759 Rc 33-39Black Oxide
5000	M2 x .4 x 3.5mm +/-0.005" 6 - Lobe T-6 Pan MS (6g) 302HQ Stainless DFARS Compliant Burnished
10000	M2 x .4 x 4mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried
8000	M2 x .4 x 4mm Phillips 90/92° Flat MS (6g) Steel 1022 Grade 4.8 Zinc Yellow per ASTM B633, Fe/Zn 5 Type II
37000	M2 x .4 x 4mm 6 - Lobe Pan Flat Top TRS 302 Stainless Steel Black Oxide Mil-DTL-13924 CL 4
7000	M2 x .4 x 4mm Phillips Pan W/Locking Serrations MS (6g) Steel 1022 Black Oxide & Oil ROHS dry to touch
7000	M2 x .4 x 4mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant
4000	M2 x .4 x 4mm Slotted Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
3000	M2 x .4 x 4mm Phillips 90/92° Flat MS (6g) 316L Stainless Steel DFAR
5000	M2 x .4 x 4mm Phillips Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
4000	M2 x .4 x 4mm 6 - Lobe Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate Patch Yellow Nylon 11
5000	M2 x .4 x 4mm 6 - Lobe 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Patch
5000	M2 x .4 x 5mm Saw Slotted 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
3000	M2 x .4 x 5mm Phillips Pan MS (6g) 316L Stainless Steel DFAR
5000	M2 x .4 x 5mm Phillips Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
2000	M2 x .4 x 5mm Phillips Cheese MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
19000	M2 x .4 x 5.5mm Phillips 90/92° Flat MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
4000	M2 x .4 x .228" +/-0.005" 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant

Qty	Description
8000	M2 x .4 x 6mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
2000	M2 x .4 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
9000	M2 x .4 x 6mm Phillips Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
11000	M2 x .4 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
4000	M2 x .4 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
4000	M2 x .4 x 6.5mm Phillips Pan MS (6g) W/Header Point 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
10000	M2 x .4 x 7.16mm +0/-0.0098 Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
6000	M2 x .4 x 8mm Phillips Pan MS (6g) Partial Half Threaded 302 Stainless DFARS Compliant Black Oxide
1000	M2 x .4 x 8mm Socket Button Head Cap MS (6g) 302HQ Stainless DFARS Compliant
4000	M2 x .4 x 8mm +.010/-0.005 6-Lobe Tamper Proof T-8 Pan MS (6g) Steel 1022 Black Zinc Trivalent Chromate .0002-.0003
2000	M2 x .4 x 8mm+/-0.25mm Phillips Wafer SPECIAL MS (6g) With Chamfer 302HQ Stainless DFARS Compliant Plain
9000	M2 x .4 x 8.9mm Saw Slotted Cheese MS (6g) LESS CHAMFER Stainless Steel 410 RC 38-43
10000	M2 x .4 x 12mm Phillips Pan MS (6g) Steel 1022 Grade 4.8 Zinc Yellow Trivalent Chromate
5000	M2 x .4 x 12mm Phillips Pan TRS 302HQ Stainless DFARS Compliant
9000	M2 x .4 x 13mm Phillips Pan MS (6G) Steel 1022 Bright Zinc Trivalent Chromate
2000	M2 x .4 x 14mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
3000	M2 x .4 x 15mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
2000	M2 x .4 x 18mm 6 - Lobe Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate Patch Yellow
2000	M2 x .4 x 25mm Saw Slotted Cheese MS (6g) 302HQ Stainless DFARS Compliant
<hr/>	
M2 x .63	
5000	M2 x .63 x 3.83mm Phillips Pan Flat Top Wafer Special Type B Steel 1022 Heat Treat Black Oxide
<hr/>	
M2 x .79	
4000	M2 x .79 x 4mm 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
<hr/>	
M2.2 x .45	
4000	M2.2 x .45 x 6mm Phillips 90/92° Flat with a dot mark MS (6g) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Patch
<hr/>	
M2.2 x .79	

<i>Qty</i>	<i>Description</i>
4000	M2.2 x .79 x 6.5mm Phillips Pan Type AB 302HQ Stainless DFARS Compliant Bright Zinc Trivalent Chromate
<hr/>	
M2.2 x .98	
5000	M2.2 x .98 x 16mm Phillips Flat HPT Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc Black Trivalent w/ Bake
<hr/>	
M2.5 x .45	
8000	M2.5 x .45 x 3.0mm Phillips 88/92° Flat U/C H.H min 0.83mm MS (6g) Steel 1022 Black Zinc Trivalent Chromate .0003 thick
3000	M2.5 x .45 x 3mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
4000	M2.5 x .45 x 4mm Phillips Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
4000	M2.5 x .45 x 4mm Saw Slotted Cheese MS (6g) Steel 1022 Grade 4.8 Bright Zinc Trivalent Chromate
7000	M2.5 x .45 x 4mm 6-Lobe Tamper Proof Pan Wafer Special MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried
13000	M2.5 x .45 x 4mm Phillips 92/90° Flat U/C MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
4000	M2.5 x .45 x 4mm Phillips 119/121° Flat Special MS (6g) Steel 1022 Black Zinc Trivalent Chromate
5000	M2.5 x .45 x 5mm Saw Slotted 90/92° Flat MS (6g) 18-8 Stainless Steel
4000	M2.5 x .45 x 5mm Phillips Pan MS (6g) Steel 1022 Zinc Yellow Trivalent Chromate
1000	M2.5 x .45 x 6mm 6 - Lobe Pan MS (6g) 316L Stainless Steel
2000	M2.5 x .45 x 6mm Saw Slotted Wafer Special MS (6g) Steel 1022 Heat Treat to Grade 10.9 Plain
11000	M2.5 x .45 x 8mm Socket Button Head Cap MS (6g) Steel 1022 Heat Treat to Grade 10.9
9000	M2.5 x .45 x 8mm Socket Button Head Cap MS (6g) 302HQ Stainless DFARS Compliant
7000	M2.5 x .45 x 8mm Saw Slotted 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
2000	M2.5 x .45 x 8mm 6 - Lobe Pan MS (6g) 316L Stainless Steel
1000	M2.5 x .45 x 9mm +/-0.127mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
3000	M2.5 x .45 x 10mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700F Method 1 Type 6 Class 4
3000	M2.5 x .45 x 12mm 6 - Lobe Pan TRS 316L Stainless Steel
1000	M2.5 x .45 x 12mm Phillips Pan TRS 302HQ Stainless DFARS Compliant
3000	M2.5 x .45 x 14mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
21000	M2.5 x .45 x 20mm Phillips Pan MS (6g) Steel 1022
3000	M2.5 x .45 x 20mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
<hr/>	
M2.5 x 1.06	

Qty	Description
8000	M2.5 x 1.06 x 7.3mm +/-0.3mm 6-Lobe T8 Tamper Proof 90/92° Flat PTRS 60-1 302HQ Stainless DFARS Compliant
4000	M2.5 x 1.06 x 14mm Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
M2.5 x 1.12	
3000	M2.5 x 1.12 x 6mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc Black Trivalent w/ Bake
M2.6 x .45	
5000	M2.6 x .45 x 3mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
7000	M2.6 x .45 x 5mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
3000	M2.6 x .45 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 Per Print Item, length tolerance +/-0.4mm JIS B1111 spec
3000	M2.6 x .45 x 8mm Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
M2.6 x .9	
5000	M2.6 x .9 x 6mm Phillips Special Pan (Flat Top Wafer) Type B Steel 1022 Heat Treat Nickel Plate & Bake
M3 x .5	
2000	M3 x .5 x 3mm Slotted Pan MS (6g) 302 HQ Stainless Steel
3000	M3 x .5 x 3mm 6 - Lobe T-10 Button Head Cap MS (6g) Steel 1022 Heat Treat Grade 8.8 Zinc & Bake Trivalent Chromate Microsphere 593-S Pink
17000	M3 x .5 x 3.5mm +/-0.0059 Special Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant ROHS
7000	M3 x .5 x 4mm 1A 90/92° Flat MS (6g) Steel 1022 Bright Zinc Trivalent Chromate Clear
4000	M3 x .5 x 4mm Phillips 130° Flat MS (6g) 302 Stainless DFARS Compliant Per Print Item 130° flat head
5000	M3 x .5 x 4mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
10000	M3 x .5 x 4mm Phillips 90/92° Flat U/C Special MS (6g) Steel 1022 Bright Zinc Trivalent Chromate .0002
8000	M3 x .5 x 4mm Phillips Pan TRS Steel 1022 Heat Treat Zinc clear trivalent chromate, Bake, per ASTM F 1941 Fe/Zn 3AT .0001 min. Wax lubricant
9000	M3 x .5 x 4mm 6 - Lobe Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
3000	M3 x .5 x 4mm Phillips 119/121° Flat Special MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
3000	M3 x .5 x 4mm Phillips 90/92° Flat UNDERCUT SPECIAL MS (6g) 302HQ Stainless DFARS Compliant Patch Nylon per IFI524
6000	M3 x .5 x 4mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
2000	M3 x .5 x 4mm Phillips Pan W/Serrations M/S (6g) 302HQ Stainless DFARS Compliant

Qty	Description
6000	M3 x .5 x 4.56mm +/- .24mm Phillips 90/92° Flat MS (6g) Steel 1022 Black Zinc Trivalent Chromate
2000	M3 x .5 x 5mm Saw Slotted 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
4000	M3 x .5 x 5mm 1A-Pozi 101/99° Flat Special MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
8000	M3 x .5 x 6mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried
9000	M3 x .5 x 6mm 6-Lobe Tamper Proof 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried
5000	M3 x .5 x 6mm 1A U/C 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
4000	M3 x .5 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
1000	M3 x .5 x 6mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380 code F/SAE-AMS2700E Method 1 Type 6 Class 4, Dual Certified Less Patch
7000	M3 x .5 x 6mm +/-0.5 Phillips 99/101° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	M3 x .5 x 6mm Phillips Pan (With one dot on head) MS (6g) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Less Patch
3000	M3 x .5 x 6mm Saw Slotted 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
15000	M3 x .5 x 6mm Phillips Pan (With one dot on head) MS (6g) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Less Patch
39000	M3 x .5 x 6mm Special 6 - Lobe Pan MS (6g) 302 HQ Stainless Steel Passivated Air Dried Patch Yellow Microspheres per DIN 267-27
6000	M3 x .5 x 7mm 6 - Lobe 90/92° Flat MS (6g) 4037 Alloy Steel Heat Treat RC 39-42 ASTM F835 Black Oxide
6000	M3 x .5 x 7.5mm 6 - Lobe Pan Special MS (6g) Stainless Steel 410 DFAR Brite Hardened Passivate SAE-AMS2700F Method 1, Type 2 Class 4 Zinc Black Trivalent w/ Bake
1000	M3 x .5 x 8mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
3000	M3 x .5 x 8mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
1000	M3 x .5 x 8mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
2000	M3 x .5 x 8mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant
2000	M3 x .5 x 8mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate to ASTM-A380/SAE-AMS2700E Method 1 Type 6 Class 1 Dual Certified
11000	M3 x .5 x 8mm 6 - Lobe Pan MS (6g) 316L Stainless Steel DFAR Passivated Air Dried
000	M3 x .5 x 8mm 6 - Lobe Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate Patch Yellow Nylon 11
1000	M3 x .5 x 10mm 6 - Lobe 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate Blue Patch (ND Ind) 180 3-5 Thread Patching; 1-1 1/2 Thread Offset
11000	M3 x .5 x 10mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried Microsphere 593-S Yellow Microspheres Din 267-27
5000	M3 x .5 x 10mm Phillips 90/92° Flat MS (6g) Steel 1022 Grade 4.8 Zinc Yellow Trivalent Chromate
4000	M3 x .5 x 10mm Slotted Pan MS (6g) 302HQ Stainless DFARS Compliant

Qty	Description
2000	M3 x .5 x 12mm Phillips Pan MS (6g) Special Captive Stainless Steel 410 Brite Hardened 28/30 RC
1000	M3 x .5 x 12mm Phillips Pan 6G CAPTIVE thread A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Black Oxide Mil-DTL-13924D CL 4
2000	M3 x .5 x 12mm Phillips Pan 6G CAPTIVE thread A286 Alloy DFAR Heat Treated per AMS-H-6875/AMS2759/3; HRc 36-40; Ultimate Tensile 160ksi-180ksi Black Oxide Mil-DTL-13924D CL 4
1000	M3 x .5 x 13mm Special 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried Yellow Microsphere per DIN 267-27
3000	M3 x .5 x 13mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
2000	M3 x .5 x 15mm +0.00/-0.20mm Phillips 90/92° Flat MS (6g) Steel 1022 Plain
2000	M3 x .5 x 16.5mm Conventional Wafer 6G Header point Stainless Steel 410 Passivated Air Dried
12000	M3 x .5 x 19mm Saw Special Slotted Fillister shank slotted Steel 1022 Heat Treat Brite Ni Chrome
3000	M3 x .5 x 20mm Socket Button Head Cap MS (6g) 4037 Alloy Steel Heat Treatment 4037 Alloy Heat Treat to Grade 10.9 Zinc/Bake Yellow Trivalent
1000	M3 x .5 x 27mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
28000	M3 x .5 x 33mm Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
1000	M3 x .5 x 35mm 6 - Lobe Pan MS (6g) Steel 1022 Grade 4.8 Zinc Trivalent Chromate per ASTM B633, Fe/Zn 5, Type III

M3 x 1.34

2000	M3 x 1.34 x 6mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
45000	M3 x 1.34 x 8mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
6000	M3 x 1.34 x 8mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
6000	M3 x 1.34 x 10mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	M3 x 1.34 x 12mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0003
5000	M3 x 1.34 x 12mm 6 Lobe Plus HPT Oval/Pan Washer Special Plastic H-PT 30 degree Steel 1022 Heat Treat

M4 x .7

3000	M4 x .7 x 5mm Saw Slotted Double Crossed Drilled Fillister MS (6g) 302HQ Stainless DFARS Compliant Passivate ASTM A380 code F
------	---

Qty	Description
4000	M4 x .7 x 6mm Phillips Pan MS (6g) Steel 1022 Heat Treat Grade 9.8 Zinc Yellow and Bake per ASTM B633, Fe/Zn 5 Type II SC1 ROHS
2000	M4 x .7 x 6mm Combo Phil Slot Pan MS (6g) 302HQ Stainless DFARS Compliant
3000	M4 x .7 x 9mm Socket Flat Head Cap Screw MS (6g) 302HQ Stainless DFARS Compliant
1000	M4 x .7 x 10mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Patch Yellow
6000	M4 x .7 x 10mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
1000	M4 x .7 x 12mm Phillips Pan MS (6g) Brass
3000	M4 x .7 x 12mm Phillips Pan MS (6g) Brass
2000	M4 x .7 x 12mm Phillips Pan MS (6g) 302HQ Stainless DFARS Compliant
1000	M4 x .7 x 12mm Phillips Pan U/C Special MS (6g) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	M4 x .7 x 12mm 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2
7000	M4 x .7 x 12mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
2000	M4 x .7 x 18.67mm +/- .005 Overall Conventional NO DRIVE Flat Fillister MS (6g) with header point Stainless Steel 410 Passivated Air Dried
1000	M4 x .7 x 20mm Phillips 90/92° Flat MS (6g) Partial Thread {13mm Unthreaded} 302HQ Stainless DFARS Compliant
1000	M4 x .7 x 35mm Phillips Truss MS (6g) 302HQ Stainless DFARS Compliant

(800) 589-3242 • NEF@NEF1.com • www.NEF1.com • 8 Tremco Drive, Terryville, CT 06786-0322